



中国认可
国际互认
检测
TESTING
CNAS L6478



TEST REPORT

Report No...... : WTF22F09197917A1C
Applicant..... : Mid Ocean Brands B.V.
Address..... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong
Manufacturer..... : 109617
Sample Name..... : Digital clock
Sample Model..... : IT3575
Date of Receipt sample..... : 2022-09-30 & 2022-10-21
Testing period..... : 2022-09-30 to 2022-10-14 & 2022-10-21 to 2022-10-25
Date of Issue..... : 2022-10-31
Test Result..... : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City,
Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang



Report No.: WTF22F09197917A1C

- Test Requested** : In accordance with the RoHS Directive 2011/65/EU and its amendment (EU) No. 2015/863.
- Test Method**..... : 1) With reference to IEC 62321-2:2021, disassembly, disjunction and mechanical sample preparation
2) With reference to IEC 62321-3-1:2013, screening - Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry
3) With reference to IEC 62321-4:2013+AMD1:2017 CSV, determination of Mercury by ICP-OES
4) With reference to IEC 62321-5:2013, determination of Lead and Cadmium by ICP-OES
5) With reference to IEC 62321-7-2: 2017 and IEC 62321-7-1: 2015, determination of Hexavalent Chromium by UV-Vis
6) With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS
7) With reference to IEC 62321-8:2017, determination of Phthalates content by GC-MS.
- Test Conclusion** : **Pass** (Based on the performed tests on the submitted samples, the results comply with the RoHS Directive 2011/65/EU and its amendment (EU) No. 2015/863)

WALTEK



Report No.: WTF22F09197917A1C

Sample Photo(s):



1.IT3575



1.IT3575

WALTEK

**Test Results:****1. Lead, Mercury, Cadmium, Hexavalent Chromium, PBBs and PBDEs**

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
1	Black plastic shell	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 42
2	Black plastic cover	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 34
3	Black plastic holder	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 44
4	Silvery metal cover	BL	BL	BL	BL	--	NA
5	Black plastic shell	BL	BL	BL	BL	IN	PBBs : ND PBDEs : 37
6	Silvery metal sheet	BL	BL	BL	BL	--	NA
7	Solder	BL	BL	BL	BL	--	NA
8	Grey soft plastic sheet	BL	BL	BL	BL	BL	NA
9	Silvery metal screw	BL	BL	BL	BL	--	NA
10	Silvery metal spring	BL	BL	BL	BL	--	NA
11	Pink black soft plastic sheet	BL	BL	BL	BL	BL	NA
12	Silvery metal screw with black coating	BL	BL	BL	BL	--	NA
13	Silvery plastic film	BL	BL	BL	BL	BL	NA
14	Black transparent plastic film with adhesive	BL	BL	BL	BL	BL	NA
15	Black sponge sheet with adhesive	BL	BL	BL	BL	BL	NA
16	Transparent glass sheet	BL	BL	BL	BL	--	NA
17	Chip resistor	BL	BL	BL	BL	BL	NA
18	Chip IC	BL	BL	BL	BL	BL	NA
19	Chip capacitor	BL	BL	BL	BL	BL	NA



Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
20	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
21	White black ceramic sheet	BL	BL	BL	BL	--	NA
22	Chip audion	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
23	Silvery EC	BL	BL	BL	BL	BL	NA
24	Solder	BL	BL	BL	BL	--	NA
25	Black EC	BL	BL	BL	BL	BL	NA
26	Red plastic wire covering	BL	BL	BL	BL	BL	NA
27	Black plastic wire covering	BL	BL	BL	BL	BL	NA
28	Silvery metal wire	BL	BL	BL	BL	--	NA
29	Black plastic shell(buzzer)	BL	BL	BL	BL	BL	NA
30	Black magnetic ring(buzzer)	BL	BL	BL	IN	--	Cr ⁶⁺ : ND
31	Silvery metal axle(buzzer)	BL	BL	BL	BL	--	NA
32	Coppery varnished wire(buzzer)	BL	BL	BL	BL	BL	NA
33	Silvery metal sheet(buzzer)	BL	BL	BL	BL	--	NA
34	Silvery metal sheet(buzzer)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
35	Green PCB(buzzer)	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND
36	Solder(buzzer)	BL	BL	BL	BL	--	NA



Report No.: WTF22F09197917A1C

Remark:

- (1) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for Cr⁶⁺) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1: 2013 (unit: mg/kg)

Element	Polymer	Metal	Composite Materials
Cd	BL ≤ (70-3σ) < IN < (130+3σ) ≤ OL	BL ≤ (70-3σ) < IN < (130+3σ) ≤ OL	LOD < IN < (150+3σ) ≤ OL
Pb	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (500-3σ) < IN < (1500+3σ) ≤ OL
Hg	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (500-3σ) < IN < (1500+3σ) ≤ OL
Cr	BL ≤ (700-3σ) < IN	BL ≤ (700-3σ) < IN	BL ≤ (500-3σ) < IN
Br	BL ≤ (300-3σ) < IN	--	BL ≤ (250-3σ) < IN

BL= Below Limit OL= Over Limit LOD = Limit of Detection -- = Not Regulated

- (2) "IN" expresses the inconclusive region, and further chemical testing to confirm whether it complies with the requirement of RoHS Directive.
- (3) The XRF screening test for RoHS elements – the reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) mg / kg =milligram per kilogram=ppm, μg/cm²= Micrograms per square centimetre.
- (5) ND = Not Detected or lower than limit of quantitation.
- (6) NA = Not Applicable, as the XRF screening test result was below the limit or as the XRF screening directly determine that test result was over the limit, it was not need to conduct the wet chemical testing.
- (7) LOQ = Limit of quantitation.

Test Items	Pb	Cd	Hg	Cr ⁶⁺		PBB	PBDE
Units	mg/kg	mg/kg	mg/kg	mg/kg	μg/cm ²	mg/kg	mg/kg
LOQ	2	2	2	8	0.1	5	5

The LOQ for single compound of PBBs and PBDEs is 5mg/kg, LOQ of Cr⁶⁺ for polymer and composite sample is 8mg/kg and LOQ of Cr⁶⁺ for metal sample is 0.1μg/cm².

- (8) RoHS Requirement

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)



Report No.: WTF22F09197917A1C

- (9) According to IEC 62321-7-1:2015, determined of Cr⁶⁺ on metal sample by boiling water extraction test method, and result is shown as Positive/Negative.

Boiling water extraction:

Negative = Absence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is less than 0.10ug/cm².

Positive = Presence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is greater than 0.13ug/cm².

Information on storage conditions and production date of the tested sample is unavailable and thus Cr⁶⁺ results represent status of the sample at the time of testing.

- (10) Abbreviation:

“Pb” denotes Lead, “Cd” denotes Cadmium, “Hg” denotes Mercury, “Cr” denotes Chromium, “Cr (VI)” denotes Hexavalent Chromium, “Br” denotes Bromine, “PBBs” denotes Total Polybrominated Biphenyls, “PBDEs” denotes Total Polybrominated Diphenyl Ethers.

2. Phthalates:

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T01	1+2+3+5+29 [△]	ND	ND	162	ND
T02	4	--	--	--	--
T03	6	--	--	--	--
T04	7	--	--	--	--
T05	8	ND	ND	ND	ND
T06	9	--	--	--	--
T07	10	--	--	--	--
T08	11	ND	ND	ND	ND
T09	12	--	--	--	--
T10	13	ND	ND	ND	ND
T11	14	ND	ND	ND	ND
T12	15	ND	ND	ND	ND
T13	16	--	--	--	--
T14	17+18+19+22+23 [△]	ND	ND	ND	ND
T15	20+25+32+35 [△]	ND	ND	ND	ND
T16	21	--	--	--	--
T17	24	--	--	--	--
T18	26	ND	ND	ND	ND
T19	27	ND	ND	ND	ND
T20	28	--	--	--	--
T21	30	--	--	--	--
T22	31	--	--	--	--
T23	33	--	--	--	--
T24	34	--	--	--	--
T25	36	--	--	--	--



Note:

- (1) mg/kg = milligram per kilogram= ppm
- (2) ND = Not Detected or lower than limit of quantitation.
- (3) -- = Not Regulated.
- (4) LOQ = Limit of quantitation.

Test Items	DBP	BBP	DEHP	DIBP
Units	mg/kg	mg/kg	mg/kg	mg/kg
LOQ	50	50	50	50

- (5) Abbreviation:
 “DBP” denotes Dibutyl phthalate, “BBP” denotes Benzyl butyl phthalate (BBP), “DEHP” denotes Bis(2-ethylhexyl)-phthalate, “DIBP” denotes Diisobutyl phthalate, “PHT” denotes Phthalates.

- (6) RoHS requirement


Restricted Substances	Limits
Dibutyl phthalate (DBP)	0.1% (1000 mg/kg)
Benzyl butyl phthalate (BBP)	0.1% (1000 mg/kg)
Di(2-ethylhexyl) phthalate (DEHP)	0.1% (1000 mg/kg)
Di-iso-butyl phthalate (DIBP)	0.1% (1000 mg/kg)

- (7) “△”= As client’s requirement, the testing was conducted based on mixed components. Results are calculated by the minimum weight of mixed components.







Measurement Flowchart:





Photograph(s) of parts tested:





Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====