

SUSTAINABILITY DECLARATION



Item number MO9332-06

Item description

Key ring pin button with paper inlay. Ø4,4 CM. Minimum order quantity 25 pieces. For unprinted orders the item comes unassembled.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Shell	Pin button	Iron	29,55%
2	Plastic ring	Pin button	Polystyrene (PS)	26,50%
3	Keyring	Keyring	Iron	25,50%
4		Pin button	Polystyrene (PS)	16,70%
5		Pin button	Polyethylene Terephthalate (PET)	1,75%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased	
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk	
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather	



Recyclability of material		⊠Yes		□No	
Renewable source					
Recycled material		ural material	Reu	sed waste material	

End of life suggestion



☐Yes ☒No





⊠Yes □No





□Yes ⊠No







Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

Packaging and Transport

a dokaging and Transport					
Piece	Inner Carton	Carton	mo box Polybag		Packaging
1	0	1000	-	Υ	100 pieces of transparent film in polybag. 100 pieces of front shell in polybag. 100 pieces of back with pin in polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela

Buying & Portfolio Directo



SUSTAINABILITY DECLARATION



Item number MO9332-06

Item description

Key ring pin button with paper inlay. Minimum order quantity 25 pieces.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Shell	Pin button	Iron	29,55%
2	Plastic ring	Pin button	Polystyrene (PS)	26,50%
3	Keyring	Keyring	Iron	25,50%
4		Pin button	Polystyrene (PS)	16,70%
5		Pin button	Polyethylene Terephthalate (PET)	1,75%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased	
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Polyester	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk	
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather	



Recyclability of material		⊠Yes		□No	
Renewable source					
Recycled material Natu		ural material	Reu	sed waste material	

End of life suggestion



☐Yes ☒No





⊠Yes □No





□Yes ⊠No







Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

.

Packaging and Transport

r dokaging and Transport					
Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	1000	-	Υ	100 pieces of transparent film in polybag. 100 pieces of front shell in polybag. 100 pieces of back with pin in polybag.

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela

Buying & Portfolio Directo