

# **Test Report**

Report No. : AGC05443250649-001

**SAMPLE NAME** : To go 2 individual container

MODEL NAME : MO2679

**APPLICANT**: MID OCEAN BRANDS B.V.

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Jul. 31, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

Sample Name : To go 2 individual container

Model : MO2679
Vendor code : 114276
Country of Origin : CHINA
Country of Destination : EUROPE
Sample receiving state : Normal

Sample Received Date : Jun. 26, 2025

Testing Period : Jun. 26, 2025 to Jul. 30, 2025

Test Requested : Selected test(s) as requested by client.

Approved by: Suhong hung

Report No.: AGC05443250649-001

Suhongliang

**Technical Director** 



Conclusion

Pass

Microwave heating resistance test

Mechanical dishwashing safe test Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63
- Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23
-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52
- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50
- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Overall Migration

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Primary Aromatic Amine

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Heavy metals

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190
- Bisphenol A (BPA) content

Pass

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Overall Migration

Pass

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5 and Regulation (EU)
2024/3190
Pass

- Bisphenol A (BPA) content

DM-4B-COM-003-v01
- Volatile Organic Components (VOC) content

Pass

DM-4B-COM-003-v01
- Peroxides
Pass

DM-4B-COM-003-v01
- Specific Migration of Organotin (measured as Tin)

Pass



Report Revise Record

Report No.: A	AGC05443250649-001
---------------	--------------------

Report Version	Issued Date	Valid Version	Notes
/	Jul. 31, 2025	Valid	Initial release




The photo of the sample











The photo of AGC05443250649-001 is for use only with the original report.

# **Test Point Description**

Test point	Test point description
1-1	Transparent plastic lid
1-2	White plastic cover
1-3	Baby blue plastic mug
1-4	White silicone ring
1-5	Petrol blue plastic mug



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Test result on specimen No.1-4 was resubmitted on July 18, 2025.

#### Microwave heating resistance test

#### **Test Result of microwave test**

Sample No.: MO2679 1-1, 1-2, 1-3, 1-4, 1-5

Test method: Refer BS EN 15284:007

Microwave power out: 800 W

Short period: 90 s Long period: 585 s

Number of tested sample: 2 pc(s) Number of control sample: 1 pc(s)

Specimen(s)	Maximum handle temperature after short period of heating	Maximum surface temperature after long period of heating
(1-1) -A	\	77.6°C
(1-1) -B	\	74.2°C
(1-2) -A	\	76.1℃
(1-2) -B	\	73.8°C
(1-3) -A	32.2°C	79.9℃
(1-3) -B	33.7°C	77.5°C
(1-4) -A	\	75.7°C
(1-4) -B	\	76.9°C
(1-5) -A	33.2°C	77.6°C
(1-5) -B	32.5℃	78.9℃

#### For all tested plastic articles:

No visible change of color was found on the tested samples after test.

No visible cracking, deformation was found on the tested samples after test.

No melting, charring was found on the tested samples after wash.

The tested samples still suitability to re-use after test.



Mechanical dishwashing safe test

# Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS",

Report No.: AGC05443250649-001

Sample No.:MO2679 1-1、1-2、1-3、1-4、1-5

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

#### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itom(s)	Unit Limit		MDL	Test Result(s)	
Test Item(s)	Unit	Limit	MIDL	1-1+1-2+1-3	1-4
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Conclusion				Conformity	Conformity

Tost Itam(s)	Unit Limit	Limit	MDL	Test Result(s)		
Test Item(s)		Lillit	MIDL	1-5		
Lead(Pb)	mg/kg	500	10	N.D.		
Co	Conclusion					

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

#### -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(a)	Unit Limit		MDL	Test Result(s)	
Test Item(s)	Unit	LIIIII	MIDL	1-1+1-2+1-3	1-4
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co.	Conformity	Conformity			

Test Item(s)	Unit	Limit	MDL	Test Result(s)	
	Omi	Liiiii	MDL	1-5	
Cadmium(Cd)	mg/kg	100	10	N.D.	
C	Conformity				



1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3

# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

#### - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Resu	ılt(s)	
Test Item(s)	Test Item(s) Unit Limit MD		MIDL	1-1+1-2+1-3	1-4	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	
Con	Conclusion					

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-5	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	
Со	Conclusion				



1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3

# Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

#### - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Tost Itom(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Onit	LIIIII	MDL	1-1+1-2+1-3	1-4
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Со	nclusion			Conformity	Conformity

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-5
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.
Co	onclusion		·	Conformity

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2+1-3



# Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

# Regulation 1935/2004/EC, Regulation (EU) No 10/2011

# - Overall Migration

Test Method: EN 1186-3:2022

				) (D)	Test result(s)			
Simulant Used	ulant Used Test Condition Unit Lim		Limit	mit MDL	1-1			
			1 <sup>st</sup> migration		2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
3% Acetic acid	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
50% Ethanol	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
Rectified Olive Oil	70℃, 2h	mg/dm <sup>2</sup>	10	3	N.D.	N.D.	N.D.	
	Conformity							

		tion Huit Limit			Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-2		
					1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
3% Acetic acid	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
50% Ethanol	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
Rectified Olive Oil	70℃, 2h	mg/dm <sup>2</sup>	10	3	N.D.	N.D.	N.D.	
	Conformity							



		I Init I imit				Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-3			
					1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
3% Acetic acid	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.		
50% Ethanol	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.		
Rectified Olive Oil	70℃, 2h	mg/dm <sup>2</sup>	10	3	N.D.	N.D.	N.D.		
	Conclus	Conformity							


					Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-5		
					1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
3% Acetic acid	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
50% Ethanol	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
Rectified Olive Oil	70℃, 2h	mg/dm <sup>2</sup>	10	3	N.D.	N.D.	N.D.	
	Conformity							

# Regulation 1935/2004/EC, Regulation (EU) No 10/2011

#### - Specific migration of Primary Aromatic Amine

Test Method: EUR 24815 EN 2011

					Test result(s)	
Test Item(s)	Unit	Limit	MDL		1-1	
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration
Simulant Used: 3% Acetic acid; Test	Condition	: 70℃, 2h				
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.
Conclu	sion				Conformity	





			, )		Test result(s)	
Test Item(s)	Unit	Limit	MDL		1-2	
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration
Simulant Used: 3% Acetic acid; Test	Condition	: 70°C, 2h				
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.
Conclu	sion			Conformity		

					Test result(s)				
Test Item(s)	Unit	Limit	MDL		1-3				
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration			
Simulant Used: 3% Acetic acid; Test Condition: 70°C, 2h									
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.			



					Test result(s)		
Test Item(s)	Unit	Limit	MDL	1-3			
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.	
Conclu	sion			_	Conformity		

					Test result(s)		
Test Item(s)	Unit	Limit	MDL		1-5		
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Simulant Used: 3% Acetic acid; Test	Condition	: 70°C, 2h					
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.	
Conclu	sion				Conformity		



# Regulation 1935/2004/EC, Regulation (EU) No 10/2011

# - Specific migration of Heavy metals

Test Method: EN 13130-1:2004

					Test result(s)	
Test Item(s)	Unit	Limit	MDL		1-1	
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration
Simulant Used: 3% Acetic acid; Test	Condition	: 70℃, 2h				
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.
Ammonium (NH <sub>4</sub> <sup>+</sup> )	mg/kg	/	0.10	N.D.	N.D.	N.D.
Calcium (Ca)	mg/kg	/	0.01	0.164	N.D.	N.D.
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Potassium (K)	mg/kg	/	0.01	0.013	N.D.	N.D.
Sodium (Na)	mg/kg	/	0.01	0.025	N.D.	N.D.
Concl	usion			Conformity		

					Tost regult(s)	
					Test result(s)	
Test Item(s)	Unit	Limit	MDL		1-2	
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration
Simulant Used: 3% Acetic acid; Test	Condition	: 70℃, 2h				
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250649-001



				Test result(s)			
Test Item(s)	Unit	Limit	MDL	1-2			
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.	
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.	
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.	
Ammonium (NH <sub>4</sub> <sup>+</sup> )	mg/kg	/	0.10	N.D.	N.D.	N.D.	
Calcium (Ca)	mg/kg	/	0.01	0.032	0.036	0.304	
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	0.019	
Potassium (K)	mg/kg	/	0.01	0.062	0.022	0.051	
Sodium (Na)	mg/kg	/	0.01	0.099	0.070	0.134	
Conclusion					Conformity		

				Test result(s)				
Test Item(s)	Unit	Limit	MDL		1-3			
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
Simulant Used: 3% Acetic acid; Test Condition: 70°C, 2h								
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.		
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.		
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.		
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.		
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.		
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.		
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.		
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.		
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.		
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.		
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.		
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.		
Ammonium (NH <sub>4</sub> <sup>+</sup> )	mg/kg	/	0.10	N.D.	N.D.	N.D.		
Calcium (Ca)	mg/kg	/	0.01	0.325	0.155	N.D.		
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Potassium (K)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Sodium (Na)	mg/kg	/	0.01	0.013	N.D.	N.D.		
Conclu	sion				Conformity			



Report No.: AGC03443230049-001								
				Test result(s)				
Test Item(s)	Unit	Limit	MDL	1-5				
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
Simulant Used: 3% Acetic acid; Test	Condition	: 70°C, 2h						
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.		
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.		
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.		
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.		
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.		
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.		
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.		
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.		
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.		
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.		
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.		
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.		
Ammonium (NH <sub>4</sub> <sup>+</sup> )	mg/kg	/	0.10	N.D.	N.D.	N.D.		
Calcium (Ca)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Potassium (K)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Sodium (Na)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Conclusion					Conformity			

#### Regulation 1935/2004/EC, Regulation (EU) No 10/2011 and Regulation (EU) 2024/3190

#### - Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:1996 & EPA 8321B:2007; LC-MS-MS

Tost Itom(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Omi	Lillit	MIDL	1-1
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Со	Conformity			

Test Item(s)	Unit Limit		MDL	Test Result(s)		
rest ttem(s)	Unit	Limit	MDL	1-2		
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.		
Co	Conclusion					

Test Item(s)	I Init	Limit	MDL	Test Result(s)
rest ttem(s)	Unit	Limit	MDL	1-3
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Co	nclusion	_		Conformity



Test Item(s)	Unit Limit		MDL	Test Result(s)
rest ttem(s)	Unit	Limit	MIDL	1-5
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.
Co	Conformity			

# Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

#### - Overall Migration

Test Method: EN 1186-3:2022

Simulant Used	Test Condition	Unit	Limit	MDL	Test result(s)  1-4  3 <sup>rd</sup> migration
3% Acetic acid	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.
50% Ethanol	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.
Rectified Olive Oil	70℃, 2h	mg/kg	60	10	N.D.
Conclusion					Conformity

#### Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5 and Regulation (EU) 2024/3190

#### - Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:1996 & EPA 8321B:2007; LC-MS-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-4		
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.		
Co	Conclusion					

#### DM-4B-COM-003-v01

# - Volatile Organic Components (VOC) content

Test Methods: LFGB BfR Part II section XV, May 2003 and LFGB section 35 B80.30 1(EG)

Temperature and Time: Bake at 100°C for 1h and then at 200°C for 4h

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-4
Volatile Organic Components	%	0.5	0.1	0.29
Conc	Conformity			

#### **DM-4B-COM-003-v01**

#### - Peroxides

Test Methods: European Pharmacopoeia 9.0 Method 2.5.5

Test Item(s)	Unit	Limit	MDL	Test Result(s)
	Ollit	Limit	MIDL	1-4
Peroxides	%	Absent	0.2	N.D.
	Conformity			




#### DM-4B-COM-003-v01

#### - Specific Migration of Organotin (measured as Tin)

Test Methods and Equipment: EN 13130-1:2004; ICP-OES

Simulant Used	Test Condition	Unit	Limit	MDL	Test result(s)
					1-4
3% Acetic acid	70℃, 2h	mg/kg	0.1	0.01	N.D.
Conclusion					Conformity


# **Test Flow Chart of Heavy Metal Content**









# **Test Flow Chart of Phthalates**







# **Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)**





# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

  7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*