

Test Report

Report No. : AGC05443250517-001

SAMPLE NAME : Double wall bottle

MODEL NAME : MO2716

APPLICANT : MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : May 19, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Double wall bottle

Model: MO2716Vendor code: 104901Country of Origin: CHINACountry of Destination: EUROPESample receiving state: Normal

Sample Received Date : May 14, 2025

Testing Period : May 14, 2025 to May 19, 2025

Test Requested : Selected test(s) as requested by client.

Approved by: Len

Suhongliang, Leon

Report No.: AGC05443250517-001

Technical Director



Test Requested: Conclusion
Mechanical dishwashing safe test Pass

Report No.: AGC05443250517-001

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63
- Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23
-Cadmium(Cd) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52
- Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50
- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43
- Aromatic Amines Azodyes (AZO) Content

Pass

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9

Pass
- Specific migration of Heavy metal

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Overall Migration

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Primary Aromatic Amine

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011
- Specific migration of Heavy metals

Pass

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5 Pass - Bisphenol A (BPA) content

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Volatile Organic Components (VOC) content

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Peroxides

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Overall Migration



German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

Pass

- Specific migration of Bisphenol A (BPA)

DM-4B-COM-003-v01 for:

- Specific Migration of Organotin (measured as Tin)

Pass

- Colour fastness to rubbing

Pass



Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	May 19, 2025	Valid	Initial release



The photo of the sample





The photo of AGC05443250517-001 is for use only with the original report.

Test Point Description

Test point	Test point description
1-1	Black coating
1-2	Outer S/S 201 bottle body
1-3	Inner S/S 304 bottle body
1-4	Black plastic lid
1-4+1-5+1-6	Black plastic lid + Bottom black plastic cup + Transparent plastic cover
1-7	White silicone ring
1-8	Black lanyard
1-9	Metal ring



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

Mechanical dishwashing safe test

Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS"

Sample No.: MO2716 1

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles

Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

- Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Unit Limit	MDL	Test Result(s)			
rest item(s)	Omi	Limit	MIDL	1-1	1-2	1-3	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Co	nclusion			Conformity	Conformity	Conformity	

Test Item(s)	Unit Limit	Limit	MDL	Test Result(s)			
		Limit		1-4+1-5+1-6	1-7	1-8	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Conclusion			Conformity	Conformity	Conformity		

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Lead(Pb)	mg/kg	500	10	53
Co	Conformity			

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4+1-5+1-6

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23



Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)				Test Result(s)			
	Unit	Limit	MDL	1 1	1-4+1-5+	1-7	
				1-1	1-6		
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.	
Conclusion				Conformity	Conformity	Conformity	

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4+1-5+1-6

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

- Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

				Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-1	1-4+1-5+ 1-6	1-7	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	N.D.	
Con	clusion			Conformity	Conformity	Conformity	

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4+1-5+1-6

Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50



- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

				Test Result(s)			
Test Item(s)	Unit	Limit	MDL	1-1	1-4+1-5+ 1-6	1-7	
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Con	clusion			Conformity	Conformity	Conformity	

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-4+1-5+1-6

Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250517-001

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

- Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-8
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.
	Conclusion	1	<u> </u>	Conformity

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250517-001



Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 or ISO 17234-1:2020 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017 or ISO 17234-2:2011.

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9

- Specific migration of Heavy metal

Test Method: EDOM (2024)

Test Wethod. EDQW		Limit) (D)	Test result	t(s)			
Item(s)	Unit			MDL	1-3	1			
		1 st +2 nd migration	3 rd migration		1 st +2 nd migration	3 rd migration			
Simulant Used: 0.5%	Simulant Used: 0.5% Citric acid; Test Condition: 70°C, 2h								
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.			
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.			
Iron (Fe)	mg/kg	280	40	0.1	N.D.	N.D.			
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.			
Chromium (Cr)	mg/kg	7	1	0.01	N.D.	N.D.			
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.			
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.			
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.			
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.			
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.			
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.			
Nickel (Ni)	mg/kg	0.98	0.14	0.01	N.D.	N.D.			
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.			
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.			
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.			
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.			
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.			
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.			
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.			
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.			
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.			
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.			
Magnesium (Mg)	mg/kg	/	/	0.01	N.D.	N.D.			
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.			
		Conclusion		-	Conformity	Conformity			

Note:

Results from all three migration are to be considered for compliance: Result of 3rd migration shall not exceed the SRL and Sum of result of 1st and 2nd migration shall not exceed 7 times of SRL.



Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Overall Migration

Test Method: EN 1186-3:2022

						Test result(s)	
Simulant Used	Test Condition	Unit	Limit	MDL		1-4	
					1 st migration	2 nd migration	3 rd migration
3% Acetic acid	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.
50% Ethanol	70℃, 2h	mg/dm ²	10	5	N.D.	N.D.	N.D.
Conclusion					Conformity		

Report No.: AGC05443250517-001

Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Specific migration of Primary Aromatic Amine

Test Method: EUR 24815 EN 2011

				Test result(s)		
Test Item(s)	Unit	Limit	MDL	1-4		
				1 st migration	2 nd migration	3 rd migration
Simulant Used: 3% Acetic acid; Test	Condition	: 70°C, 2h				
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.
Conclu	sion				Conformity	



Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Specific migration of Heavy metals

Test Method: EN 13130-1:2004

rest Method: EN 13130-1.2004				Test result(s)			
Test Item(s)	Unit	Limit	MDL	1-4			
1000110111(0)		2	1122	1 st migration	2 nd migration	3 rd migration	
Simulant Used: 3% Acetic acid; Tes	t Condition	: 70°C, 2h				- 8	
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.	
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.	
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.	
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.	
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.	
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.	
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.	
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.	
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.	
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.	
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.	
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.	
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.	
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.	
Ammonium (NH ₄ ⁺)	mg/kg		0.10	N.D.	N.D.	N.D.	
Calcium (Ca)	mg/kg	/	0.01	0.194	0.047	0.079	
Magnesium (Mg)	mg/kg	/	0.01	N.D.	N.D.	N.D.	
Potassium (K)	mg/kg	/	0.01	N.D.	N.D.	N.D.	
Sodium (Na)	mg/kg	/	0.01	N.D.	N.D.	N.D.	
Concl	usion				Conformity		

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:1996 & EPA 8321B:2007; LC-MS-MS

Toot Itam(a)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Ollit	Lillit	MIDL	1-4	1-7
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.	N.D.
Concl	Conformity	Conformity			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Report No.: AGC05443250517-001



German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR

Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Volatile Organic Components (VOC) content

Test Methods: LFGB BfR Part II section XV, May 2003 and LFGB section 35 B80.30 1(EG)

Temperature and Time: Bake at 100°C for 1h and then at 200°C for 4h

Test Item(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Unit	LIIIII	MDL	1-7
Volatile Organic Components	%	0.5	0.1	0.42
Cond	Conformity			

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Peroxides

Test Methods: European Pharmacopoeia 9.0 Method 2.5.5

Tost Itam(s)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Onit	Lillit	MDL	1-7
Peroxides	%	Absent	0.2	N.D.
	Conformity			

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Overall Migration

Test Method: EN 1186-3:2022

					Test result(s)
Simulant Used	Test Condition	Unit	Limit	MDL	1-7
					3 rd migration
3% Acetic acid	70℃, 2h	mg/dm ²	10	5	N.D.
50% Ethanol	70℃, 2h	mg/dm ²	10	5	N.D.
Conclusion					Conformity

German Food, Articles of Daily Use and Feed Code of September, 2005(LFGB), Section 30 and BfR Recommendations, Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Specific migration of Bisphenol A (BPA)

Test Methods and Equipment: CEN/TS13130-13:2005; LC-MS-MS

			Limit		Test result(s)
Simulant Used	Test Condition	Unit	(Client's	MDL	1-7
			Requirement)		3 rd migration
3% Acetic acid	70°C, 2h	mg/kg	0.05	0.02	N.D.
	Conc	Conformity			



- Specific Migration of Organotin (measured as Tin)

Test Methods and Equipment: EN 13130-1:2004; ICP-OES

Simulant Used	Test Condition	Unit	Limit	MDL	Test result(s)
Simulant Osed	Test Condition	Onit	LIIIII	MDL	1-7
3% Acetic acid	70℃, 2h	mg/kg	0.1	0.01	N.D.
Conclusion					Conformity

Colour fastness to rubbing

Test Method: ISO 105-X12:2016

Rubbing finger: Cylinder

The time of conditioning as well as the atmospheric conditions during testing: 19.5 °C, 64 %R.H., 4 hrs

The percentage of soak of wet rubbing cloth: $95\% \!\!\sim\!\! 100\%$

The long direction of the specimen: Endwise/ Crossrange

	Test l		
Test point	Colour fastness to	Conclusion	
	Dry rubbing	Wet rubbing	
1-8	4-5	4-5	Conformity
Limit (Client's Requirement)	≥2-3	≥2-3	/


Note:

Colour Fastness Grade:

Grade 5 = No Colour Change (Best Grade)


Grade 1 = Colour Change Seriously (Bad Grade)

9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.







Test Flow Chart of Heavy Metal Content




Test Flow Chart of Phthalates









Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)







Test Flow Chart of AZO





Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***