

# **Test Report**

Report No. : AGC05443250634-001S1

**SAMPLE NAME** : Double wall bottle

MODEL NAME : MO2735

**APPLICANT**: MID OCEAN BRANDS B.V.

**STANDARD(S)** : Please refer to the following page(s).

**DATE OF ISSUE** : Jul. 18, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

Sample Name : Double wall bottle

Model : MO2735

Vendor code : 114276

Country of Origin : CHINA

Country of Destination : EUROPE

Sample receiving state : Normal

Sample Received Date : Jun. 16, 2025

Testing Period : Jun. 16, 2025 to Jul. 04, 2025

Test Requested : Selected test(s) as requested by client.

Approved by: Suhong hang

Report No.: AGC05443250634-001S1

Suhongliang

**Technical Director** 



Conclusion

Mechanical dishwashing safe test

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63 - Lead(Pb) Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

Pass

-Cadmium(Cd) Content

1 ass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52 - Phthalates Content

Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

- Polycyclic-aromatic Hydrocarbons (PAHs) Content

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Overall Migration

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Specific migration of Primary Aromatic Amine

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011

- Specific migration of Heavy metals

Pass

Regulation 1935/2004/EC, Regulation (EU) No 10/2011, Council of Europe Resolution AP

(2004)5 and Regulation (EU) 2024/3190

Pass

- Bisphenol A (BPA) content

Pass

Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

- Overall Migration

DM-4B-COM-003-v01 for:

- Specific Migration of Organotin (measured as Tin)

Pass

DM-4B-COM-003-v01 for:

- Peroxides

Pass

DM-4B-COM-003-v01 for:

- Volatile Organic Components (VOC) content

**Pass** 

Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9

Pass

- Specific migration of Heavy metal



Report No.: AGC05443250634-001S1
Report Revise Record


report revise record								
Report Version	Issued Date	Valid Version	Notes					
/	Jul. 04, 2025	Invalid	Initial release					
S1	Jul. 18, 2025	Valid	Modification of photo and delete Test point					



# The photo of the sample







The photo of AGC05443250634-001S1 is for use only with the original report.

# **Test Point Description**

Test point	Test point description
1-1	Blue coating
1-2	Black coating on the sticker
1-4	Outer metal bottle body
1-5	Inner metal bottle body
1-6	Blue plastic lid
1-7	Blue plastic lock
1-8	White plastic inner lid
1-9	Metal pin
1-10	Spring
1-11	White silicone ring
1-12	White silicone cap



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

#### Mechanical dishwashing safe test

#### Test Result of mechanical dishwashing safe test:

Requirements:For dishwasher safe test, if there is no noticeable change in appearance (e.g. color, size and shape) and function, it should be "PASS",

Sample No.:MO2735 、1

Test method: Refer BS EN 12875 -1-2005

Washing temperature: 60°C Number of cycle: 10 cycles Number of tested sample: 2 pc(s). Number of control sample: 1 pc(s).

For all tested plastic or metal articles:

No visible change of color, gloss and clouding was found on the tested samples after wash.

No visible deposit or iridescent layer was found on the tested samples after wash.

No visible swelling, deformation, cracking, crazing or delamination was found on the tested samples after wash.

# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

#### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Tost Itam(s)	Unit Limit		MDL	Test Result(s)		
Test Item(s)	Onit	Lillit	MDL	1-1+1-2	1-4	
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	
Con	Conformity	Conformity				

			Γ	Test Result(s)		
Test Item(s)	Unit	Limit	MDL	1-5	1-6+1-7+	1-9
				1-3	1-8	1-9
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.
C	Conformity	Conformity	Conformity			

Test Item(s)	Unit Limit	MDL	Test Result(s)		
rest ttern(s)	Ollit	Lillit	MDL	1-10	1-11+1-12
Lead(Pb)	mg/kg	500	10	N.D.	N.D.
Co	Conformity	Conformity			

# Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-6+1-7+1-8,1-11+1-12 Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11+1-12



# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

Conclusion

#### -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

T4 I4(-)	II.ia I inia MDI		Te. Te.	
Test Item(s)	Unit	Limit	MDL	1-1+1-2
Cadmium(Cd)	mg/kg	100	10	N.D.

Report No.: AGC05443250634-001S1

Conformity

Tost Itom(s)	Unit Limit		MDL	Test Result(s)	
Test Item(s)	Unit	Lillit	MDL	1-6+1-7+1-8	1-11+1-12
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.
Co	Conformity	Conformity			

#### Remark:

# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

# - Phthalates Content

Test Methods and Equipment: IEC 62321-8:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s) 1-1+1-2		
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.		
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.		
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.		
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.		
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.		
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.		
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.		
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.		
Sum of DNOP+DINP+DIDP	%	0.1		N.D.		
Con	Conclusion					

Tost Itom(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Unit	Limit	MDL	1-6+1-7+1-8	1-11+1-12
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.005	N.D.	N.D.
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.005	N.D.	N.D.

<sup>1.</sup> As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-6+1-7+1-8,1-11+1-12 Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11+1-12



Tost Itam(s)	Unit	Limit	MDL	Test Result(s)	
Test Item(s)	Unit	Limit	MIDL	1-6+1-7+1-8	1-11+1-12
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.005	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.005	N.D.	N.D.
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.005	N.D.	N.D.
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.005	N.D.	N.D.
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.005	N.D.	N.D.
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.
Co	Conformity	Conformity			

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-6+1-7+1-8,1-11+1-12 Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11+1-12

### Limit requirements of Phthalates

1	
Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	The sum of DINP+DIDP+DNOP is less than 0.1%

# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

# - Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Toot Itam(a)	Unit	Limit	MDL	Test Result(s)
Test Item(s)	Unit	Lillit	MIDL	1-1+1-2
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.
Dibenzo[a,h]anthracene(DBA) m		1	0.1	N.D.
Co	Conformity			

Tost Itam(s)	Unit	Limit	MDL	Test Result(s)		
Test Item(s)	Unit	Lillit	MIDL	1-6+1-7+1-8	1-11+1-12	
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.	
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.	



Test Item(s)	Unit Limit		MDL	Test Result(s)	
rest item(s)	Oilit	Lillit	MDL	1-6+1-7+1-8	1-11+1-12
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Со	Conformity	Conformity			

#### Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1+1-2,1-6+1-7+1-8,1-11+1-12 Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11+1-12

# Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	≤ 1	≤ 1	≤ 0.5
Benzo[e]pyrene(BeP)	192-97-2	/	≤ 1	≤ 0.5
Benzo[a]anthracene(BaA)	56-55-3	/	≤ 1	≤ 0.5
Benzo[b]fluoranthene(BbF)	205-99-2	/	≤ 1	≤ 0.5
Benzo[j]fluoranthene(BjFA)	205-82-3	/	≤ 1	≤ 0.5
Benzo[k]fluoranthene(BkF)	207-08-9	/	≤ 1	≤ 0.5
Chrysene(CHR)	218-01-9	/	≤ 1	≤ 0.5
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	≤ 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤ 10	/	/

# Regulation 1935/2004/EC, Regulation (EU) No 10/2011

# - Overall Migration

Test Method: EN 1186-3:2022

				Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-6	
					1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration
3% Acetic acid	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.
50% Ethanol	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.
	Conclus		Conformity				



					Test result(s)			
Simulant Used	Test Condition	Unit	Limit	MDL		1-8		
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
3% Acetic acid	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
50% Ethanol	70℃, 2h	mg/dm <sup>2</sup>	10	5	N.D.	N.D.	N.D.	
	Conclus		Conformity					

# Regulation 1935/2004/EC, Regulation (EU) No 10/2011

# - Specific migration of Primary Aromatic Amine

Test Method: EUR 24815 EN 2011

				Test result(s)			
Test Item(s)	Unit	Limit	MDL	1-6			
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Simulant Used: 3% Acetic acid; Test	Condition	: 70℃, 2h					
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.	
Conclu	sion				Conformity		



	Report						
				Test result(s)			
Test Item(s)	Unit	Limit	MDL	1-8			
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Simulant Used: 3% Acetic acid; Tes	st Condition						
4-Aminobiphenyl	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Benzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloro-o-Toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Naphthylamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-amino-2',3-dimethylazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
5-Nitro-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Chloroaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Methoxy-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Diaminodiphenylmethane	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dichlorobenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethoxybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
3,3'-Dimethybenzidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Methylenedi-o-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
6-methoxy-m-toluidine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-methylenebis[2-chloroaniline]	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Oxydianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4,4'-Thiodianiline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Aminotoluene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-methyl-m-phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2,4,5-Trimethylaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
2-Methoxyaniline	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
4-Aminoazobenzene	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
1,3 phenylenediamine	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Total of other primary aromatic amines	mg/kg	0.01	0.01	N.D.	N.D.	N.D.	
Conc	lusion				Conformity		

# Regulation 1935/2004/EC, Regulation (EU) No 10/2011

# - Specific migration of Heavy metals

Test Method: EN 13130-1:2004

				Test result(s)					
Test Item(s)	Unit	Limit	MDL	1-6					
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration			
Simulant Used: 3% Acetic acid; Te	Simulant Used: 3% Acetic acid; Test Condition: 70°C, 2h								
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.			
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.			
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.			
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.			
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.			
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.			
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.			
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.			
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.			
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.			
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.			
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.			



				Test result(s)			
Test Item(s)	Unit	Limit	MDL	1-6			
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.	
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.	
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.	
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.	
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.	
Ammonium (NH <sub>4</sub> <sup>+</sup> )	mg/kg	/	0.10	N.D.	N.D.	N.D.	
Calcium (Ca)	mg/kg	/	0.01	0.235	0.024	0.115	
Magnesium (Mg)	mg/kg	/	0.01	0.018	N.D.	N.D.	
Potassium (K)	mg/kg	/	0.01	0.041	0.011	0.031	
Sodium (Na)	mg/kg	/	0.01	0.050	0.018	0.013	
Conclu		Conformity					

					Test result(s)			
Test Item(s)	Unit	Limit	MDL	1-8				
				1 <sup>st</sup> migration	2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		
Simulant Used: 3% Acetic acid; Test Condition: 70°C, 2h								
Barium (Ba)	mg/kg	1	0.1	N.D.	N.D.	N.D.		
Cobalt (Co)	mg/kg	0.05	0.01	N.D.	N.D.	N.D.		
Copper (Cu)	mg/kg	5	0.25	N.D.	N.D.	N.D.		
Iron (Fe)	mg/kg	48	0.25	N.D.	N.D.	N.D.		
Lithium (Li)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.		
Manganese (Mn)	mg/kg	0.6	0.1	N.D.	N.D.	N.D.		
Zinc (Zn)	mg/kg	5	0.25	N.D.	N.D.	N.D.		
Aluminum (Al)	mg/kg	1	0.1	N.D.	N.D.	N.D.		
Europium (Eu)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Gadolinium (Gd)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Lanthanum (La)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Terbium (Tb)	mg/kg	/	0.01	N.D.	N.D.	N.D.		
Sum(Eu+Gd+La+Tb)	mg/kg	0.05	/	N.D.	N.D.	N.D.		
Antimony (Sb)	mg/kg	0.04	0.01	N.D.	N.D.	N.D.		
Arsenic (As)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Cadmium (Cd)	mg/kg	N.D.	0.002	N.D.	N.D.	N.D.		
Chromium (Cr)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Lead (Pb)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Mercury (Hg)	mg/kg	N.D.	0.01	N.D.	N.D.	N.D.		
Nickel (Ni)	mg/kg	0.02	0.01	N.D.	N.D.	N.D.		
Ammonium (NH <sub>4</sub> <sup>+</sup> )	mg/kg	/	0.10	N.D.	N.D.	N.D.		
Calcium (Ca)	mg/kg	/	0.01	0.212	N.D.	N.D.		
Magnesium (Mg)	mg/kg	/	0.01	0.025	N.D.	N.D.		
Potassium (K)	mg/kg	/	0.01	0.061	0.010	0.016		
Sodium (Na)	mg/kg	/	0.01	0.081	0.023	0.015		
Conclu	sion			Conformity				



# Regulation 1935/2004/EC, Regulation (EU) No 10/2011, Council of Europe Resolution AP (2004)5 and Regulation (EU) 2024/3190

#### - Bisphenol A (BPA) content

Test Methods and Equipment: EPA 3540C:1996 & EPA 8321B:2007; LC-MS-MS

Toot Itam(s)	I Init	Unit Limit		Test Result(s)			
Test Item(s)	Unit	Lillit	MDL	1-6	1-8	1-11	
Bisphenol A (BPA)	mg/kg	Prohibition	0.01	N.D.	N.D.	N.D.	
		Conformity	Conformity	Conformity			

Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11

# Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5

# - Overall Migration

Test Method: EN 1186-3:2022

					Test result(s)
Simulant Used	Test Condition	Unit	Limit	MDL	1-11
					3 <sup>rd</sup> migration
3% Acetic acid	70°C, 24h	mg/dm <sup>2</sup>	10	5	N.D.
50% Ethanol	70℃, 24h	mg/dm <sup>2</sup>	10	5	N.D.
	Conclus	Conformity			

Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11

#### DM-4B-COM-003-v01 for:

# - Specific Migration of Organotin (measured as Tin)

Test Methods and Equipment: EN 13130-1:2004; ICP-OES

Simulant Used	Test Condition	Unit	Limit	MDL	Test result(s)	
					1-11	
3% Acetic acid	70°C, 2h	mg/kg	0.1	0.01	N.D.	
Conclusion					Conformity	

Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11

### DM-4B-COM-003-v01 for:

#### - Peroxides

Test Methods: European Pharmacopoeia 9.0 Method 2.5.5

Test Item(s)	Unit	Limit	MDL	Test Result(s)
rest item(s)	Onit	Lillit	MIDL	1-11
Peroxides	%	Absent	0.2	N.D.
	Conformity			

Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11



# - Volatile Organic Components (VOC) content

Test Methods: DEGCCRF2004-64

Temperature and Time: Bake at 100°C for 1h and then at 200°C for 4h

Test Item(s)	Unit	Limit	MDL	Test Result(s)	
rest tiem(s)			MIDL	1-11	
Volatile Organic Components	%	0.5	0.1	0.41	
Conc	Conformity				

Remark: The samples of the following test points were resubmitted on June 30, 2025:1-11

# Regulation 1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of Council of Europe Resolution CM/Res(2020)9


#### - Specific migration of Heavy metal

Test Method: EDQM (2024)

		T ' '/		MDL	Test result(s)		
Item(s)	Unit	Limit			1-5		
		1 <sup>st</sup> +2 <sup>nd</sup> migration	3 <sup>rd</sup> migration		1 <sup>st</sup> +2 <sup>nd</sup> migration	3 <sup>rd</sup> migration	
Simulant Used: 0.5% Citric acid; Test Condition: 70°C, 2h							
Barium (Ba)	mg/kg	8.4	1.2	0.1	N.D.	N.D.	
Copper (Cu)	mg/kg	28	4	0.1	N.D.	N.D.	
Iron (Fe)	mg/kg	280	40	0.1	N.D.	N.D.	
Tin (Sn)	mg/kg	700	100	0.1	N.D.	N.D.	
Chromium (Cr)	mg/kg	7	1	0.01	N.D.	N.D.	
Manganese (Mn)	mg/kg	3.85	0.55	0.1	N.D.	N.D.	
Zinc (Zn)	mg/kg	35	5	0.1	N.D.	N.D.	
Aluminium (Al)	mg/kg	35	5	0.1	N.D.	N.D.	
Lithium (Li)	mg/kg	0.336	0.048	0.01	N.D.	N.D.	
Beryllium (Be)	mg/kg	0.07	0.01	0.005	N.D.	N.D.	
Vanadium (V)	mg/kg	0.07	0.01	0.005	N.D.	N.D.	
Nickel (Ni)	mg/kg	0.98	0.14	0.01	N.D.	N.D.	
Cobalt (Co)	mg/kg	0.14	0.02	0.01	N.D.	N.D.	
Arsenic (As)	mg/kg	0.014	0.002	0.002	N.D.	N.D.	
Molybdenum (Mo)	mg/kg	0.84	0.12	0.01	N.D.	N.D.	
Silver (Ag)	mg/kg	0.56	0.08	0.01	N.D.	N.D.	
Cadmium (Cd)	mg/kg	0.035	0.005	0.002	N.D.	N.D.	
Antimony (Sb)	mg/kg	0.28	0.04	0.01	N.D.	N.D.	
Mercury (Hg)	mg/kg	0.021	0.003	0.002	N.D.	N.D.	
Thallium (Tl)	mg/kg	0.007	0.001	0.001	N.D.	N.D.	
Lead (Pb)	mg/kg	0.07	0.01	0.01	N.D.	N.D.	
Zirconium (Zr)	mg/kg	14	2	0.01	N.D.	N.D.	
Magnesium (Mg)	mg/kg	/	/	0.01	N.D.	N.D.	
Titanium (Ti)	mg/kg	/	/	0.01	N.D.	N.D.	
Conclusion					Conformity	Conformity	


# Note:

Results from all three migration are to be considered for compliance: Result of  $3^{rd}$  migration shall not exceed the SRL and Sum of result of  $1^{st}$  and  $2^{nd}$  migration shall not exceed 7 times of SRL.







# **Test Flow Chart of Heavy Metal Content**




### **Test Flow Chart of Phthalates**







# Test Flow Chart of Polycyclic-aromatic Hydrocarbons (PAHs)





# Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*