

TEST REPORT

Reference	No	 WTF21F03024811F

Applicant: Mid Ocean Brands B.V.

Address: 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong

Manufacturer : 111999

Sample Name: Ceramic mug with silicone lid

Model No. : MO7683, MO8130, MO8662

Test Requested: In accordance with Council of Europe Resolution AP(2004)5, Council

of Europe Resolution 84/500/EC (2005/31/EC) and Regulation (EC)

No 1935/2004.

Test Conclusion.....: : **Pass** (Please refer to next pages for details)

Date of Receipt sample ... : 2021-03-25

Date of Test 2021-03-25 to 2021-04-01

Date of Issue : 2021-04-16

Test Result: Please refer to next page (s)

Note.....: Selected test(s) as requested by applicant

Remarks:

The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by: Approved by:

Abby Zhou / Project Engineer

Dino.Zhang / Technical Manager

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

Page 1 of 4







1. Overall Migration Test

Reference No.: WTF21F03024811F

Food Cinculant	Took Condition	Result (mg/kg) No.1			LOQ	Limit
Food Simulant	Test Condition				(mg/dm ²)	(mg/dm ²)
3% Acetic Acid	70°C for 2 hours	ND	ND	ND +	3 25	10
10% Ethanol	70°C for 2 hours	ND	ND	ND	3	10

Note:

- 1. Test method: With reference to BS EN 1186-1: 2002 and BS EN 1186-3: 2002
- 2. "mg/dm2" = milligram per square decimetre
- 3. "°C" = Celsius degree
- 4. LOQ = Limit of quantitation
- 4. ND = Not Detected or lower than limit of quantitation
- 6. The specification was quoted from Council of Europe Resolution AP (2004)5.

2. Bisphenol A Content*

Took Hom	Result (mg/kg)	100 (ma/ka)	Limit (mg/kg)
Test Item	No.1	LOQ (mg/kg)	Limit (mg/kg)
Bisphenol A	ND COM	Lift NO.1 WALTE	Not Detected (<0.1mg/kg)

Note:

- 1. Test Method: With reference to EPA3550C:2007, analysis was performed by GC-MS.
- 2. "mg/kg" = milligram per kilogram
- 3. LOQ = Limit of quantitation
- 4. ND = Not Detected or lower than limit of quantitation
- 5. The specification was quoted from Law No 2012-1442.
- 6. The testing item marked with '*' does not been accredited by CNAS.

3. Extractable Lead and Cadmium Content

THE TANK HAMALTER OF THE	Result (mg/L)	100 (77.7/1)	Philip (m Sh.)	
Test Items	No.2	LOQ (mg/L)	Limit (mg/L)	
Extractable Lead	ND ND	0.1	4.0	
Extractable Cadmium	LIER ND VINE V	0.01	0.3	

Note:

- 1. Test method: With reference to BS EN 1388-1: 1996 and BS EN 1388-2: 1996, sample preparation in 4% acetic acid at 22±2°C for 24 hours, analysis was performed by ICP-OES.
- 2. "mg/L" = milligram per litre
- 3. LOQ = Limit of quantitation
- 4. ND = Not Detected, less than limit of quantitation
- 5. The specification was quoted from 84/500/EC (2005/31/EC).



Sample photo:











Reference No.: WTF21F03024811F

No.	Photo of testing part	Parts Description	Client Claimed Materia
1	₹1 : 5 : 7 : 9 1 10 u u u u 15 to u to u 20 u u u 25 u u u 230 u u	Black silicone rubber	Silicone rubber
	J	MALIER WALTER WALTER	White Whitek whitek wh
2	\$2, 15 + 1 , 10 n n p n 15 n n n n 20 n p p n 25 n n n 30 n n n n 35	White ceramic	Ceramic

===== End of Report =====





TEST REPORT

Reference No	WTF21F07070002A1F
IVEIELELICE INC	WIFZIFU/U/UUUZAIF

Applicant: Mid Ocean Brands B.V.

Address 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong

Manufacturer 111999

Sample Name: Silicone lid for tumbler

Model No.: CX1450, MO7683, MO8130, MO8662

In accordance with French Décret n°2007-766 with amendments and Test Requested.....

Regulation (EC) No 1935/2004.

Test Conclusion..... Pass (Please refer to next pages for details)

Date of Receipt sample.... 2021-07-14 & 2021-08-09

Date of Test: 2021-07-14 to 2021-08-17

Date of Issue: 2021-08-17

Test Result Please refer to next page (s)

Remarks:

The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

E-mail:info@waltek.com.cn Tel:+86-757-23811398 Fax:+86-757-23811381

Compiled by: Approved by:

Dino.Zhang / Technical Manager





1. Overall Migration Test

Reference No.: WTF21F07070002A1F

Food Circulant	Took Condition	Result (mg/kg)	100 (20 (10 2)	41	
Food Simulant	Test Condition	No.1	LOQ (mg/dm²)	lm ²) Limit (mg/dm ²)	
3% Acetic Acid	70°C for 2 hours	ND	3.4	10	
10% Ethanol	70°C for 2 hours	ND of	3	10	

Note:

- 1. Test method: With reference to EN 1186-1: 2002 and EN 1186-3: 2002
- 2. "mg/kg" = milligram per kilogram of foodstuff in contact with
- 3. "°C" = Celsius degree
- 4. LOQ = Limit of quantitation
- 5. ND = Not Detected or lower than limit of quantitation
- 6. The specification was quoted from Council of Europe Resolution AP(2004)5 and French Arrêté du 25 novembre 1992 for Silicone Elastomers.

2. Peroxide Value Test

Tool Home of the	Result	TE WALL WALL WALL WALL
Test Item	No.1	Limit Limit
Peroxide Value	Absent	Absent

Note:

- 1. Test method: With reference to European Pharmacopeia (2005) ANNEX X F, Clause 2.5.5, method A.
- 2. The specification was quoted from French Arrêté du 25 novembre 1992 for Silicone Elastomers.
- 3. Absent = Not detected

3. Specific Migration of Organotin (as Tin)

Test Item	Result (mg/kg)	100 (ma/ka)	Limit (mg/kg)	
Test item	No.1	LOQ (mg/kg)	Limit (mg/kg)	
Specific Migration of Organotin (as Tin)	ND	0.01	on of our	

Note:

- 1. Test Method: With reference to BS EN 13130-1: 2004, sample preparation in 3% acetic acid at 70°C for 2 hours, analysis was performed by ICP-MS.
- 2. "mg/kg" = milligram per kilogram
- 3. LOQ = Limit of quantitation
- 4. ND = Not Detected, less than LOQ
- 5. The specification was quoted from French Arrêté du 25 novembre 1992 for Silicone Elastomers.





Reference No.: WTF21F07070002A1F Page 3 of 5

4. Bisphenol A Content

Test Item	Result (mg/kg) No.1	LOQ (mg/kg)	Limit (mg/kg)
Bisphenol A	ND ND	un 0.1 while	Not Detected (<0.1mg/kg)

Note:

- 1. Test Method: With reference to EPA3550C:2007, analysis was performed by GC-MS.
- 2. "mg/kg" = milligram per kilogram
- 3. LOQ = Limit of quantitation
- 4. ND = Not Detected or lower than limit of quantitation
- 5. The specification was quoted from Law No 2012-1442.

5. Volatile Organic Compounds

-20	Took Home	Result (%)	100 (%)	Limit (0/)	
anti	Test Item	No.2	LOQ (%)	Limit (%)	
V	olatile Organic compounds	0.18	0.05	0.5	

Note:

- 1. Test method: With reference to French Arrêté du 25 novembre 1992 Annex III for silicone Elastomers.
- 2. "%" = percentage by weight
- 3. LOQ = Limit of quantitation
- 4. The specification was quoted from French Arrêté du 25 novembre 1992 for Silicone Elastomers.



Sample Photo:











Photograph of parts tested:

No.	Photo of testing part	Parts Description	Client Claimed Material
TER V	5 + 5 + 7 + 8 + 10 H to 13 to 17 to 17 to 19 20 21 22 23 22 5 25 27	Blue silicone rubber	Silicone rubber (Sample received at 2021-07-14)
Z Z LLTDK	Security 5 5 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Blue silicone rubber	Silicone rubber (Sample received at 2021-08-09)

===== End of Report =====

Waltek Services (Foshan) Co., Ltd. http://www.waltek.com.cn



Test Report

Report No. : AGC05443220920-001

SAMPLE NAME: Double wall chalk tumbler

MODEL NAME: MO8662

APPLICANT: MID OCEAN BRANDS B.V

STANDARD(S): Please refer to the following page(s).

DATE OF

: Sep.19, 2022

Attestation of Global Compliance (Skenzhen) Std & Tech Co., Ltd.





Report No.: AGC05443220920-001

Page 1 of 4

Applicant : MID OCEAN BRANDS B.V

7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

· Hong Kong.

Test Site

6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Double wall chalk tumbler

Model : MO8662

Vendor code : 111999

Country of Origin : CHINA

Country of Destination : EUROPE

Sample Received Date : Sep.14, 2022

Testing Period : Sep.14, 2022 to Sep.19, 2022

Test Requested:

As specified by client, the following items are determined in the submitted sample

- Extractable Lead and Cadmium(Lip and Rim Region)

Approved by: Jossie lians

Liangdan, Jessie.Liang

Technical Director



Report No.: AGC05443220920-001

Page 2 of 4

Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Sep.19, 2022	Valid	Initial release



Report No.: AGC05443220920-001

Page 3 of 4

Test Result:

Test method: EN1338-2:1996

Test point		Test Result		
		Extractable Lead(Pb)/(mg)	Extractable Cadmium(Cd)/(mg)	
		22℃,24h		
1-1	A	N.D.	N.D.	
	В	N.D.	N.D.	
	С	N.D.	N.D.	
	D	N.D.	N.D.	
I	MDL	0.1	0.01	

Note: Results shown above are testing data of four groups.

Note:


mg = milligram

N.D.=Not Detected (less than method detection limit)

MDL = Method Detection Limit

Test Point Description

Test point	Test point description	
1-1	Outer black rim	





The photo of the sample



AGC05443220920-001

AGC authenticate the photo only on original report

*** End of Report ***



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.