



**Test Report**

Applicant : MID OCEAN BRANDS B.V.  
UNIT 711-716 7/F TOWER A  
83 KING LAM STREET  
CHEUNG SHA WAN KOWLOON  
HONG KONG

Issue Date : Oct 20, 2025

Attn : DEREK HUI

**SAMPLE DESCRIPTION AS DECLARED**

No. of Sample	Several
Fibre Content	-
Material	Adjustable Bucket Hat
Finishing	-
End Uses	-
Colour	(A) Black; (B) Khaki; (C) Army Green; (D) Navy
Style No.	MO2877
Order No./PO No.	-
Standard	-
Buyer's Name	-
Manufacture's Name	-
Ref.	-
Date Received/ Date Test Started	Oct 10, 2025

Conclusions				
Test Item	A	B	C	D
Determination Of The UVR Transmission Of Dry Textile As Received	P	P	P	P

## Note:

Tests presented in this report are conducted as requested by Applicant.

P = Pass      F = Fail      # = No Comment      C = Conform Label  
N/A = Not Applicable      - = Did Not Perform      \* = See Remark

---

Approved By:

Intertek Testing Services Hong Kong Limited



Amy Wong

Assistant General Manager

Prepared By: Ellis Fung

**Intertek Testing Services Hong Kong Limited**

2/F Garment Centre, 576 Castle Peak Road  
Kowloon, Hong Kong

Page 3/4

**1 Determination Of The UVR Transmission Of Dry Textile As Received**

EN 13758-1:2001+A1:2006

	A-Body	B-Body	C-Body	REQ
The Ultraviolet Protection Factor, UPF	403.89	104.05	268.70	
% Of Mean UVA Transmittance, UVA Average	0.27 %	1.80 %	0.47 %	
% Of Mean UVB Transmittance, UVB Average	0.25 %	0.86 %	0.35 %	
Standard Deviation Of UPF	53.10	5.10	18.92	
Standard Deviation Of UVA	0.03 %	0.04 %	0.03 %	
Standard Deviation Of UVB	0.03 %	0.05 %	0.03 %	
The UPF Of The Sample	>50	>50	>50	50+
	D-Body		REQ	
The Ultraviolet Protection Factor, UPF	196.06			
% Of Mean UVA Transmittance, UVA Average	0.55 %			
% Of Mean UVB Transmittance, UVB Average	0.49 %			
Standard Deviation Of UPF	12.27			
Standard Deviation Of UVA	0.03 %			
Standard Deviation Of UVB	0.03 %			
The UPF Of The Sample	>50			50+

Remarks:

Rated UPF requirement is 40+, and UVA transmission shall be &lt; 5%, as stated in BS EN 13758 Part 2 (2003+A1:2006).

End of Report

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to the latest version of Intertek's "Decision Rule Information" and is available on Intertek's website. <https://intertekhk.qrd.by/decision-rules-info>. If decision rule already inhere in the requested specification or standard, Intertek's "Decision Rule Information" is not applicable.

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



**Test Report**

Applicant : MID OCEAN BRANDS B.V.  
UNIT 711-716 7/F TOWER A  
83 KING LAM STREET  
CHEUNG SHA WAN KOWLOON  
HONG KONG

Issue Date : Nov 06, 2025

Attn : DEREK HUI/EMMA LAM

**SAMPLE DESCRIPTION AS DECLARED**

No. of Sample	Several
Fibre Content	-
Material	Adjustable Bucket Hat
Finishing	-
End Uses	-
Colour	Black
Style No.	MO2877
Order No./PO No.	-
Standard	-
Buyer's Name	-
Manufacture's Name	119726
Ref.	-
Date Received/ Date Test Started	Nov 04, 2025

**Conclusions****Test Item**

Spray Test As Received

P

**Note:**

Tests presented in this report are conducted as requested by Applicant.

P = Pass      F = Fail      # = No Comment      C = Conform Label  
N/A = Not Applicable      - = Did Not Perform      \* = See Remark

---

**Approved By:**

Intertek Testing Services Hong Kong Limited



Amy Wong

Assistant General Manager

Prepared By: Manny Ching

**Intertek Testing Services Hong Kong Limited**2/F Garment Centre, 576 Castle Peak Road  
Kowloon, Hong Kong

Page

3/4

**1 Spray Test As Received**

ISO 4920-2012

**Test Condition**

Random Sticking Or Wetting Of the Specimen Face , Test Condition: Standard temperate atmosphere: Temperature:  $20 \pm 2^\circ\text{C}$  & Relative Humidity:  $65 \pm 2\%$ ; Temperature Of The Distilled Water:  $20 \pm 2^\circ\text{C}$

	<b>Result</b>	<b>REQ</b>
	<b>Rating</b>	<b>Rating</b>
Specimen 1	4.5	4
Specimen 2	4.5	4
Specimen 3	4.5	4

## Remarks:

Rating 5 – No sticking or wetting of the specimen face

Rating 4 – Slight random sticking or wetting of the specimen face

Rating 3 – Wetting of specimen face at spray points

Rating 2 – Partial wetting of the specimen face beyond the spray points

Rating 1 – Complete wetting of the entire specimen face beyond the spray points

Rating 0 - Complete wetting of the entire face of the specimen

**End of Report**

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to the latest version of Intertek's "Decision Rule Information" and is available on Intertek's website. <https://intertekhk.qrd.by/decision-rules-info>. If decision rule already inhereed in the requested specification or standard, Intertek's "Decision Rule Information" is not applicable.

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.