



# TEST REPORT

Reference No	2/1	WTF20F11089509C
--------------	-----	-----------------

Applicant .....: Mid Ocean Brands B.V.

Address ...... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong

Manufacturer..... : 113052

Sample Name.....: Inflatable beach ball, Beach pillow, Transparent beach ball, PVC

mattress beach solid white, Inflatable beach ball with transparent, Large inflatable beach ball, Inflatable floating swim ring in PVC with

handle, Suitable for kids and adults, Inflatable can holder

Model No. ...... : IT1627, IT1628, IT2216, MO8439, MO8701, MO8956, MO9520,

MO9789

Test Requested......: 1) Determination of Cadmium content in the submitted sample in

accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No.

835/2012 and (EU) 2016/217

 Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006

& Amendment No. 552/2009 & No. 2018/2005

 Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its

amendment Regulation (EU) No 1272/2013.

4) Determination of Benzene content in the submitted sample in accordance with Annex XVII Entries 5 of the REACH Regulation (EC) No. 1907/2006 and the Amendment (EU) No. 2015/1494

Test Method .....: Please refer to next page (s)

Test Conclusion .....: Please refer to next page (s)

Date of Receipt sample....: 2020-11-24

Date of Test ...... 2020-11-24 to 2020-12-01

Date of Issue ..... : 2020-12-01

Test Result .....: Please refer to next page (s)

Note ...... : As specified by client, only test the designated sample.

Remarks: The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

# Prepared By:

## Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by:

Approved by:

Rena.Chen / Project Engineer

Swing.Liang / Technical Manager

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

Reference No.: WTF20F11089509C



# 1) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

T	LOQ	LIEK ALTER WAL	70, 7	
Test Item (mg/kg)		No.1	No.2	No.3
Cadmium(Cd)	2 4 3	ND	ND	ND
Conclusion	u n n	Pass	Pass	Pass

Took House	LOQ	Results (mg/kg)					
Test Item (mg/kg)		No.4	No.5 No.5				
Cadmium(Cd)	2 4 3	ND W	ND				
Conclusion	We are	Pass	Pass Life Pass				

### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100



Reference No.: WTF20F11089509C



# 2) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	LIEK WALTE	EK WILTER V	Limit	
	(%)	No.1	No.2	No.3	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	ND	ND	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	ND	ND ND	sum of four phthalates < 0.1
Dibutyl phthalate (DBP)	0.005	ND	ND-	ND OF	
Diisobutyl phthalate (DIBP)	0.005	ND	ND	ND	it lit
Diisodecyl phthalate (DIDP)	0.01	ND ND	ND N	ND N	sum of three
Diisononyl phthalate (DINP)	0.01	ND	ND	ND	phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	ND	ND ON	
Conclusion	- 412	Pass	Pass	Pass	INLIE WALTE

Test Items with the same of th	LOQ		sults %)	Limit
	(%)	No.4	No.5	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	ND	E WITE WALTE
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	ND	sum of four phthalates <
Dibutyl phthalate (DBP)	0.005	ND	ND ND	0.1
Diisobutyl phthalate (DIBP)	0.005	ND	ND	CLIEK WITEK
Diisodecyl phthalate (DIDP)	0.01	ND M	ND	sum of three
Diisononyl phthalate (DINP)	0.01	ND	ND	phthalates <
Di-n-octyl phthalate (DNOP)	n-octyl phthalate (DNOP) 0.005 ND		ND	0.1
Conclusion	14 18	Pass	Pass	mr -m

### Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate

BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



# 3) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	11:4	Results		100	
	Unit	No.1	No.2	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND	ND -	0.2	0.5
Chrysene (CHR)	mg/kg	ND ND	ND	0.2	0.5
Benzo[b]fluoranthene (BbFA)	mg/kg	ND A	ND	0.2	0.5
Benzo[k]fluoranthene (BkFA)	mg/kg	ND	ND	0.2	0.5
Benzo(a)pyrene (BaP)	mg/kg	ND	ND ND	0.2	0.5
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	ND	0.2	0.5
Benzo[j]fluoranthene (BjFA)	mg/kg	ND or	ND	0.2	0.5
Benzo[e]Pyrene (BeP)	mg/kg	ND	- ND	0.2	0.5
Conclusion	JEK	Pass	Pass	7,	* ''

Test Items	July 101	Res	Results		
	Unit	No.3	No.4	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND	ND	0.2	0.5
Chrysene (CHR)	mg/kg	ND	ND	0.2	0.5
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	ND	0.2	0.5
Benzo[k]fluoranthene (BkFA)	mg/kg	ND	ND W	0.2	0.5
Benzo(a)pyrene (BaP)	mg/kg	ND	ND (	0.2	0.5
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	ND	0.2	0.5
Benzo[j]fluoranthene (BjFA)	mg/kg	ND	ND	0.2	0.5
Benzo[e]Pyrene (BeP)	mg/kg	ND	ND	0.2	0.5
Conclusion	TEX - TIEN	Pass	Pass	70.	111 - 12



Test Items	Unit	Results	LOQ	Limit	
Test items	OIIIC	No.5	LOQ	C Lilling	
Benzo(a)anthracene (BaA)	mg/kg	ND	0.2	0.5	
Chrysene (CHR)	mg/kg	ND WALL	0.2	0.5	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	0.2	0.5	
Benzo[k]fluoranthene (BkFA)	mg/kg	TE WIND WILL	0.2	0.5	
Benzo(a)pyrene (BaP)	mg/kg	ND TO	0.2	0.5	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND ND	0.2	0.5	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND	0.2	0.5	
Benzo[e]Pyrene (BeP)	mg/kg	ND	0.2	0.5	
Conclusion	TEX TEX	Pass	"MUT MUT.	- 101 - 101	

### Note:

- (1) ND = Not Detected or less than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) The testing standard "AFPS GS 2019:01 PAK" does not been accredited by CNAS



# 4) Benzene

Test Method: With reference to US EPA 3550C:2007& US EPA 8270D: 2014, analysis was performed by GC-MS

Lite Main WA	LOQ		Results (mg/kg)		Limit
Test Item (mg/kg)		No.1	No.2	No.3	(mg/kg)
Benzene*	7/1 1 Ju	ND	ND ND	ND	JUL 5 W
Conclusion	JEK - JEE	Pass	Pass	Pass	· //- /

Chile Maria Mari	LOQ	Results (n	Limit	
Test Item (mg/kg)		No.4	No.5	(mg/kg)
Benzene*	- 1 - w	ND	ND	m 5 m
Conclusion	TEE SITE	Pass	Pass	A A TO

### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) As per Annex XVII Items 5 of the REACH Regulation (EC) No. 1907/2006 and the Amendment (EU) No. 2015/1494, benzene shall not be used in toys or parts of toys where the concentration of benzene in the free state is greater than 5 mg/kg (0,0005 %) of the weight of the toy or part of toy.
- (5) The testing item marked with "\*" do not been accredited by CNAS

# **Test Specimen Description:**

No.1: Transparent PVC

No.2: White plastic handle

No.3: Pink PVC

No.4: Transparent PVC with black-red printing

No.5: Transparent soft plastic air vent





# Sample photo:






































# Photograph of parts tested /测试部位图片:









===== End of Report ======