

TEST REPORT

Report No. : WTF25F06154976A1X1C

Job No. : FSW2506130616CJ

Applicant : Mid Ocean Brands B.V.

Address Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha

Wan, Kowloon, Hong Kong.

Manufacturer..... 119706

Sample Name : Cross body bag

Sample Model : MO2685

Test Requested.....: Refer to next page (s)

Test Method Refer to next page (s)

Date of Receipt Sample : 2025-06-13 & 2025-06-23

Testing Period : 2025-06-13 to 2025-06-19 & 2025-06-23 to 2025-06-27

Date of Issue : 2025-07-10

Test Result Refer to next page (s)

2. This report is based on Waltek test report

WTF25F06154976A1C for revising, and replaced report

WTF25F06154976A1C.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Gwing Liang



WTF25F06154976A1X1C



Summary

Item No.	Test Requested	Test Conclusion
MATE W 1 Lifet out	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2 2 110	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass to
W3 V	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
ine 4	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
5EF	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass



Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tolk now the	LOQ	Results	(mg/kg)	- Limit
Test Item	(mg/kg)	No.1+No.3+No.4	No.2+No.5+No.8	(mg/kg)
Lead(Pb)	2	44*	ND*	500
Conclusion	- A	Pass	Pass	4112 - 411

- 17 Et 17 Et	LOQ	_OQ Results (mg/kg)		Limit	
Test Item	(mg/kg)	No.10+No.11+No.12	No.13+No.21+No.25	(mg/kg)	
Lead(Pb)	2	ND*	ND*	500	
Conclusion	. It - It	Pass	Pass		

Table months	LOQ	Results (Results (mg/kg)	
Test Item	(mg/kg)	No.14+No.17+No.18	No.15(R1)	(mg/kg)
Lead(Pb)	2	ND*	-70	500
Conclusion	7 A 7	Pass	Pass	4 - 1 ×

Tablitan White	LOQ	Results (m	g/kg)	Limit
Test Item	(mg/kg)	No.16(R1)	No.19	(mg/kg)
Lead(Pb)	2	40	ND	500
Conclusion	Et JET WITE	Pass	Pass	at -at

- Muri Aur	LOQ	Results	Limit		
Test Item	(mg/kg)	No.20+No.22+No.23	No.24+No.26+No.27	(mg/kg)	
Lead(Pb)	2	ND*	ND*	500	
Conclusion	LIE MITE NALT	Pass	Pass	TEX -TEX	



Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.





2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Toot Item	LOQ	Results (mg/kg)
Test Item	(mg/kg)	No.1+No.3+No.4
Cadmium(Cd)	2 4	THE THE MILE NO.
Conclusion	Julie Will All C	Pass at the tree at

Took Home	LOQ	Resi	ults (mg/kg)
Test Item	(mg/kg)	No.9	No.13+No.21+No.25
Cadmium(Cd)	L 2 2 3	et Ite ND III with	ND*
Conclusion	mr -n m	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Resul	Limit	
	(%)	No.1+No.3+No.4	No.9	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND NO	NITE WALTE WA
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.019*	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND	LIFE WALTER WALTER
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	at alt alt
Diisononyl phthalate (DINP)	0.01	ND*	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND ND	primalates < 0.1
Conclusion	- <u>194</u> 3	Pass	Pass	4 4 4

Test Items	LOQ (%)	Results (%) No.13+No.21+No.25	Limit (%)
D	0.005	The state of the s	11. 11. 1
Benzyl butyl phthalate (BBP)	0.005	ND*	t JER STEE WI
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND* WITH	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	TEX TEX TEX
Diisodecyl phthalate (DIDP)	0.01	ND*	Ver Mur Mur 1
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	primalates < 0.1
Conclusion	20 2	Pass Stranger	MULL MULL MULL



Note:

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.

4) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

t at let tet the	ALTER MITE	Re	sults	, t	Limit
Test Items	Unit	No.1+No.3 +No.4	No.13+No.21 +No.25	LOQ	
Benzo(a)anthracene (BaA)	mg/kg	ND*	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	ND*	0.2	1.0
Conclusion	No. 16	Pass	Pass	in in	1 4



Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.





5) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

.61	. THE THE STEP NUTE WA	i with	10, 2	Result (mg/kg)		
No.	Amines Substances	CAS No.	Limit (mg/kg)	No.2+No.5 +No.8	No.10+No.11 +No.12	
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*	
2	Benzidine	92-87-5	30	ND*	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*	
14	p-cresinin	120-71-8	30	ND*	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*	
18	o-Toluidine	95-53-4	30	ND*	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*	
21	o-anisidine	90-04-0	30	ND*	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	ND*	
70,	Conclusion	wife - wife	12 Jun	Pass	Pass	



et l	LIER SLIER WITE WILL MALL WALL	70, 2.	4	Result (mg/kg)		
No.	Amines Substances	CAS No.	Limit (mg/kg)	No.14+No.17 +No.18	No.20+No.22 +No.23	
11	4-Aminobiphenyl	92-67-1	30	ND*	ND*	
2	Benzidine	92-87-5	30	ND*	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*	
7.11	p-Chloroaniline	106-47-8	30	ND*	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*	
14	p-cresinin	120-71-8	30	ND*	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*	
18	o-Toluidine	95-53-4	30	ND*	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*	
21	o-anisidine	90-04-0	30	ND*	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	ND*	
	Conclusion	412 4	211	Pass	Pass	



*	Aminos Cubatanas	CAS No.	Limit	Result (mg/kg)
No.	Amines Substances	CAS NO.	(mg/kg)	No.24+No.26+No.27
- 1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND* In the
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
10	Conclusion	-zet	Jet - Jet	Pass



Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.

6) Colour Fastness to Rubbing

Colour Fastness to Rubbing					at at all	
(ISO 105-X1	2: 2016; Size of rubbin	g finger: 16mr	m diameter.)	TEK STER	WITE WAS	were and
L st	at at at	No.2	No.5	No.8	No.10	Client's Limit
and an	Dry staining	4-5	4-5	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	2-3
186:-141-	Dry staining	F-A 1	,//-	4-5	4-5	2-3
Width	Wet staining	// <u>.</u> @*\	(1) -100	4-5	4-5	2-3
Conclusion	with the til	Pass	Pass	Pass	Pass	The Will Mile

Colour Fastness to Rubbing						
(ISO 105-X1	2: 2016; Size of rubbin	ng finger: 16m	m diameter.)	L of	et let	JER STE
24, 24,		No.11	No.12	No.14	No.17	Client's Limit
TEX TE	Dry staining	4-5	4-5	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	2-3
VV: 44P	Dry staining	with an		·	4-5	2-3
Width	Wet staining	,c- ,	- 	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4-5	2-3
Conclusion	THE THE LIFE	Pass	Pass	Pass	Pass	- J



Colour Fastness to Rubbing						
(ISO 105-X1	2: 2016; Size of rubbir	ng finger: 16mi	m diameter.)	The state of	WILL WE	71/2 1/11
LET .	TER STEE MILE	No.18	No.20	No.22	No.23	Client's Limit
The The	Dry staining	4-5	4-5	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	2-3
///: - 4 -	Dry staining	4-5	.++	TIE RET	4-5	2-3
Width	Wet staining	4-5	L. Wall	n - n	4-5	2-3
Conclusion	The Marie Marie	Pass	Pass	Pass	Pass	and - with

Colour Fastness to Rubbing					
(ISO 105-X1	2: 2016; Size of rubbin	g finger: 16mm dia	ameter.)	TEK LIER	alie wille
	L St. St. A	No.24	No.26	No.27	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Dry staining	MrMr.	·	it it.	2-3
Width	Wet staining	et - et	TER WATE WA	" " " " " " " " " " " " " " " " " " "	2-3
Conclusion		Pass	Pass	Pass	+ 18th - 18th

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Description for Specimen:

Specimen No.	Specimen Description
EX WALTE WALTE WALTE	Black plastic buckle
2 H 11 11 11 11 11 11 11 11 11 11 11 11 1	Black webbing
Mr. 3 m. m.	Black plastic buckle
THE 4 SET WITH WE SEE WAY	Black plastic zipper tooth
5	Black zipper fabric
in 18 mer mer mir	Black main fabric
t tre 9 street mire mile	Black plastic sritp
10	Black lining
White Mill will a dr. W	Black non-woven fabric
12 th 12 th	Grey webbing
13	Grey plastic zipper tooth
14 mil mil mil	Grey zipper fabric
15(R1)	Silvery metal zipper handle
16(R1)	Silvery metal zipper head
THE 17TH	Grey-white main fabric
18	Grey lining
19 unt unt	White non-woven fabric
20 THE STEE	Blue webbing
21	Blue plastic zipper tooth
nei v	Blue zipper fabric
23 /- (Blue-white main fabric
24	Beige webbing
25 THE WALL WITH	White plastic zipper tooth
26	Off-white zipper fabric
27 11 11 11	Beige-white main fabric





Photograph of parts tested:

Report No.: WTF25F06154976A1X1C







Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====