



# TEST REPORT

Report No. .... : WTF26F04109216C  
Job No. .... : FSW2604221220CJ  
Applicant ..... : Mid Ocean Brands B.V.  
Address ..... : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha  
Wan, Kowloon, Hong Kong.  
Manufacturer ..... : 111587  
Sample Name ..... : Backpack  
Sample Model ..... : MO3180  
Test Requested ..... : Refer to next page(s)  
Test Method ..... : Refer to next page (s)  
Test Conclusion ..... : **Pass** (Please refer to next pages for details)  
Date of Receipt Sample ..... : 2026-04-22  
Testing Period ..... : 2026-04-22 to 2026-04-28  
Date of Issue ..... : 2026-04-28  
Test Result ..... : Refer to next page (s)  
Note ..... : As specified by client, only test the designated sample.

## Prepared By:

### Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park,  
Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China  
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of  
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang



WTF26F04109216C

Swing Liang  
Waltek Testing Group (Foshan) Co., Ltd.  
<http://www.waltek.com.cn>



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

**Summary**

| Item No. | Test Requested                                                                                                                                                                                                                                                                  | Test Conclusion |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 1        | Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628                                                                                             | Pass            |
| 2        | Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217                                                              | Pass            |
| 3        | Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005                                                                                                         | Pass            |
| 4        | Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.                                                | Pass            |
| 5        | Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC). | Pass            |
| 6        | As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.                                                                                                                                                                                      | Pass            |



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

Sample photo:



MO3180



MO3180



MO3180



MO3180



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

**Test Results:****1) Lead (Pb)**

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item  | LOQ<br>(mg/kg) | Results (mg/kg) |                 |      | Limit<br>(mg/kg) |
|------------|----------------|-----------------|-----------------|------|------------------|
|            |                | No.1+No.2+No.3  | No.4+No.7+No.10 | No.5 |                  |
| Lead(Pb)   | 2              | ND*             | ND*             | ND   | 500              |
| Conclusion | --             | Pass            | Pass            | Pass | --               |

| Test Item  | LOQ<br>(mg/kg) | Results (mg/kg) |      |                       | Limit<br>(mg/kg) |
|------------|----------------|-----------------|------|-----------------------|------------------|
|            |                | No.6+No.8+No.12 | No.9 | No.11+No.14<br>+No.16 |                  |
| Lead(Pb)   | 2              | 22*             | ND   | ND*                   | 500              |
| Conclusion | --             | Pass            | Pass | Pass                  | --               |

| Test Item  | LOQ<br>(mg/kg) | Results (mg/kg) |       |       |                       | Limit<br>(mg/kg) |
|------------|----------------|-----------------|-------|-------|-----------------------|------------------|
|            |                | No.13           | No.15 | No.18 | No.19+No.20<br>+No.21 |                  |
| Lead(Pb)   | 2              | 50              | 77    | ND    | ND*                   | 500              |
| Conclusion | --             | Pass            | Pass  | Pass  | Pass                  | --               |

**Note:**

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

## 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item   | LOQ<br>(mg/kg) | Results (mg/kg) |                 |       |
|-------------|----------------|-----------------|-----------------|-------|
|             |                | No.5            | No.6+No.8+No.12 | No.13 |
| Cadmium(Cd) | 2              | ND              | ND*             | ND    |
| Conclusion  | --             | Pass            | Pass            | Pass  |

| Test Item   | LOQ<br>(mg/kg) | Results (mg/kg) |                   |
|-------------|----------------|-----------------|-------------------|
|             |                | No.15           | No.17+No.18+No.22 |
| Cadmium(Cd) | 2              | ND              | ND*               |
| Conclusion  | --             | Pass            | Pass              |

### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

| Category                                      | Limit (mg/kg) |
|-----------------------------------------------|---------------|
| Wet paint                                     | 100           |
| Surface coating                               | 1000          |
| Plastic                                       | 100           |
| Metal parts of jewellery and hair accessories | 100           |

- (5) "\*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal





Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

### 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

| Test Items                              | LOQ<br>(%) | Results<br>(%)  |                       | Limit<br>(%)                     |
|-----------------------------------------|------------|-----------------|-----------------------|----------------------------------|
|                                         |            | No.6+No.8+No.12 | No.17+No.18<br>+No.22 |                                  |
| Benzyl butyl phthalate (BBP)            | 0.005      | ND*             | ND*                   | sum of four<br>phthalates < 0.1  |
| Di (2-ethyl hexyl)- phthalate<br>(DEHP) | 0.005      | 0.028*          | ND*                   |                                  |
| Dibutyl phthalate (DBP)                 | 0.005      | ND*             | ND*                   |                                  |
| Diisobutyl phthalate (DIBP)             | 0.005      | ND*             | ND*                   |                                  |
| Diisodecyl phthalate (DIDP)             | 0.01       | ND*             | ND*                   | sum of three<br>phthalates < 0.1 |
| Diisononyl phthalate (DINP)             | 0.01       | ND*             | ND*                   |                                  |
| Di-n-octyl phthalate (DNOP)             | 0.005      | ND*             | ND*                   |                                  |
| Conclusion                              | --         | Pass            | Pass                  | --                               |

#### Note:

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "\*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

#### 4) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

| Test Items                                  | Unit  | Results             |       | LOQ | Limit |
|---------------------------------------------|-------|---------------------|-------|-----|-------|
|                                             |       | No.6+No.8<br>+No.12 | No.18 |     |       |
| Benzo(a)anthracene (BaA)                    | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Chrysene (CHR)                              | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Benzo[b]fluoranthene (BbFA)                 | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Benzo[k]fluoranthene (BkFA)                 | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Benzo(a)pyrene (BaP)                        | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Dibenzo[a,h]anthracene (DBA <sub>h</sub> A) | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Benzo[j]fluoranthene (BjFA)                 | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Benzo[e]Pyrene (BeP)                        | mg/kg | ND*                 | ND    | 0.2 | 1.0   |
| Conclusion                                  | --    | Pass                | Pass  | --  | --    |

#### Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "\*" = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

**5) AZO**

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

| No. | Amines Substances                         | CAS No.  | Limit (mg/kg) | Result (mg/kg)  |                  |
|-----|-------------------------------------------|----------|---------------|-----------------|------------------|
|     |                                           |          |               | No.1+No.2 +No.3 | No.4+No.7 +No.10 |
| 1   | 4-Aminobiphenyl                           | 92-67-1  | 30            | ND*             | ND*              |
| 2   | Benzidine                                 | 92-87-5  | 30            | ND*             | ND*              |
| 3   | 4-chloro-o-Toluidine                      | 95-69-2  | 30            | ND*             | ND*              |
| 4   | 2-Naphthylamine                           | 91-59-8  | 30            | ND*             | ND*              |
| 5   | o-Aminoazotoluene                         | 97-56-3  | 30            | ND*             | ND*              |
| 6   | 2-Amino-4-nitrotoluene                    | 99-55-8  | 30            | ND*             | ND*              |
| 7   | p-Chloroaniline                           | 106-47-8 | 30            | ND*             | ND*              |
| 8   | 2,4-diaminoanisole                        | 615-05-4 | 30            | ND*             | ND*              |
| 9   | 4,4'-Diaminodiphenylmethane               | 101-77-9 | 30            | ND*             | ND*              |
| 10  | 3,3'-Dichlorobenzidine                    | 91-94-1  | 30            | ND*             | ND*              |
| 11  | 3,3'-Dimethoxybenzidine                   | 119-90-4 | 30            | ND*             | ND*              |
| 12  | 3,3'-Dimethylbenzidine                    | 119-93-7 | 30            | ND*             | ND*              |
| 13  | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30            | ND*             | ND*              |
| 14  | p-cresinin                                | 120-71-8 | 30            | ND*             | ND*              |
| 15  | 4,4'-Methylen-bis-(2-chloroaniline)       | 101-14-4 | 30            | ND*             | ND*              |
| 16  | 4,4'-Oxydianiline                         | 101-80-4 | 30            | ND*             | ND*              |
| 17  | 4,4'-Thiodianiline                        | 139-65-1 | 30            | ND*             | ND*              |
| 18  | o-Toluidine                               | 95-53-4  | 30            | ND*             | ND*              |
| 19  | 2,4-Toluylenediamine                      | 95-80-7  | 30            | ND*             | ND*              |
| 20  | 2,4,5 – Trimethylaniline                  | 137-17-7 | 30            | ND*             | ND*              |
| 21  | o-anisidine                               | 90-04-0  | 30            | ND*             | ND*              |
| 22  | 4-aminoazobenzene                         | 60-09-3  | 30            | ND*             | ND*              |
| 23  | 2,4-Xylidin                               | 95-68-1  | 30            | ND*             | ND*              |
| 24  | 2,6-Xylidin                               | 87-62-7  | 30            | ND*             | ND*              |
| --  | Conclusion                                | --       | --            | Pass            | Pass             |





Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

| No. | Amines Substances                         | CAS No.  | Limit (mg/kg) | Result (mg/kg)        |                       |
|-----|-------------------------------------------|----------|---------------|-----------------------|-----------------------|
|     |                                           |          |               | No.11+No.14<br>+No.16 | No.19+No.20<br>+No.21 |
| 1   | 4-Aminobiphenyl                           | 92-67-1  | 30            | ND*                   | ND*                   |
| 2   | Benzidine                                 | 92-87-5  | 30            | ND*                   | ND*                   |
| 3   | 4-chloro-o-Toluidine                      | 95-69-2  | 30            | ND*                   | ND*                   |
| 4   | 2-Naphthylamine                           | 91-59-8  | 30            | ND*                   | ND*                   |
| 5   | o-Aminoazotoluene                         | 97-56-3  | 30            | ND*                   | ND*                   |
| 6   | 2-Amino-4-nitrotoluene                    | 99-55-8  | 30            | ND*                   | ND*                   |
| 7   | p-Chloroaniline                           | 106-47-8 | 30            | ND*                   | ND*                   |
| 8   | 2,4-diaminoanisol                         | 615-05-4 | 30            | ND*                   | ND*                   |
| 9   | 4,4'-Diaminodiphenylmethane               | 101-77-9 | 30            | ND*                   | ND*                   |
| 10  | 3,3'-Dichlorobenzidine                    | 91-94-1  | 30            | ND*                   | ND*                   |
| 11  | 3,3'-Dimethoxybenzidine                   | 119-90-4 | 30            | ND*                   | ND*                   |
| 12  | 3,3'-Dimethylbenzidine                    | 119-93-7 | 30            | ND*                   | ND*                   |
| 13  | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30            | ND*                   | ND*                   |
| 14  | p-cresinin                                | 120-71-8 | 30            | ND*                   | ND*                   |
| 15  | 4,4'-Methylen-bis-(2-chloroaniline)       | 101-14-4 | 30            | ND*                   | ND*                   |
| 16  | 4,4'-Oxydianiline                         | 101-80-4 | 30            | ND*                   | ND*                   |
| 17  | 4,4'-Thiodianiline                        | 139-65-1 | 30            | ND*                   | ND*                   |
| 18  | o-Toluidine                               | 95-53-4  | 30            | ND*                   | ND*                   |
| 19  | 2,4-Toluylendiamine                       | 95-80-7  | 30            | ND*                   | ND*                   |
| 20  | 2,4,5 – Trimethylaniline                  | 137-17-7 | 30            | ND*                   | ND*                   |
| 21  | o-anisidine                               | 90-04-0  | 30            | ND*                   | ND*                   |
| 22  | 4-aminoazobenzene                         | 60-09-3  | 30            | ND*                   | ND*                   |
| 23  | 2,4-Xylidin                               | 95-68-1  | 30            | ND*                   | ND*                   |
| 24  | 2,6-Xylidin                               | 87-62-7  | 30            | ND*                   | ND*                   |
| --  | Conclusion                                | --       | --            | Pass                  | Pass                  |



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

**Note:**

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- “\*” = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.

**6) Colour Fastness to Rubbing**

| Colour Fastness to Rubbing                                  |              |      |      |      |      |                |
|-------------------------------------------------------------|--------------|------|------|------|------|----------------|
| (ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.) |              |      |      |      |      |                |
|                                                             |              | No.1 | No.2 | No.3 | No.4 | Client's Limit |
| Length                                                      | Dry staining | 4-5  | 4-5  | 4-5  | 4-5  | 2-3            |
|                                                             | Wet staining | 4-5  | 4-5  | 4-5  | 4-5  | 2-3            |
| Width                                                       | Dry staining | 4-5  | 4-5  | 4-5  | 4-5  | 2-3            |
|                                                             | Wet staining | 4-5  | 4-5  | 4-5  | 4-5  | 2-3            |
| Conclusion                                                  |              | Pass | Pass | Pass | Pass | --             |

| Colour Fastness to Rubbing                                  |              |      |       |       |       |                |
|-------------------------------------------------------------|--------------|------|-------|-------|-------|----------------|
| (ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.) |              |      |       |       |       |                |
|                                                             |              | No.7 | No.10 | No.11 | No.14 | Client's Limit |
| Length                                                      | Dry staining | 4-5  | 4-5   | 4-5   | 4-5   | 2-3            |
|                                                             | Wet staining | 4-5  | 4-5   | 4-5   | 4-5   | 2-3            |
| Width                                                       | Dry staining | --   | --    | --    | --    | 2-3            |
|                                                             | Wet staining | --   | --    | --    | --    | 2-3            |
| Conclusion                                                  |              | Pass | Pass  | Pass  | Pass  | --             |



Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

| Colour Fastness to Rubbing                                  |              |       |       |       |       |                |
|-------------------------------------------------------------|--------------|-------|-------|-------|-------|----------------|
| (ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.) |              |       |       |       |       |                |
|                                                             |              | No.16 | No.19 | No.20 | No.21 | Client's Limit |
| Length                                                      | Dry staining | 4-5   | 4-5   | 4-5   | 4-5   | 2-3            |
|                                                             | Wet staining | 4-5   | 4-5   | 4-5   | 4-5   | 2-3            |
| Width                                                       | Dry staining | 4-5   | --    | --    | 4-5   | 2-3            |
|                                                             | Wet staining | 4-5   | --    | --    | 4-5   | 2-3            |
| Conclusion                                                  |              | Pass  | Pass  | Pass  | Pass  | --             |

**Note:**

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

**Description for Specimen:**

| Specimen ID         | Specimen No. | Specimen Description                            |
|---------------------|--------------|-------------------------------------------------|
| FSW2604221220CJ. 1  | 1            | Black main fabric with fabric backing           |
| FSW2604221220CJ. 2  | 2            | Dark blue main fabric with fabric backing       |
| FSW2604221220CJ. 3  | 3            | Blue main fabric with fabric backing            |
| FSW2604221220CJ. 4  | 4            | Green main fabric with fabric backing           |
| FSW2604221220CJ. 5  | 5            | Silvery metal buckle with black surfaced        |
| FSW2604221220CJ. 6  | 6            | Black plastic buckle                            |
| FSW2604221220CJ. 7  | 7            | Black-white drawstring                          |
| FSW2604221220CJ. 8  | 8            | Black plastic shell                             |
| FSW2604221220CJ. 9  | 9            | Silvery metal spring                            |
| FSW2604221220CJ. 10 | 10           | Black webbing                                   |
| FSW2604221220CJ. 11 | 11           | Black webbing                                   |
| FSW2604221220CJ. 12 | 12           | Black plastic zipper tooth                      |
| FSW2604221220CJ. 13 | 13           | Silvery metal zipper head with black surfaced   |
| FSW2604221220CJ. 14 | 14           | Black zipper fabric                             |
| FSW2604221220CJ. 15 | 15           | Silvery metal zipper handle with black surfaced |
| FSW2604221220CJ. 16 | 16           | Black net fabric                                |
| FSW2604221220CJ. 17 | 17           | Black pearl foam                                |
| FSW2604221220CJ. 18 | 18           | Black plastic buckle                            |




Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ

| Specimen ID         | Specimen No. | Specimen Description |
|---------------------|--------------|----------------------|
| FSW2604221220CJ. 19 | 19           | Black webbing        |
| FSW2604221220CJ. 20 | 20           | Black fabric rim     |
| FSW2604221220CJ. 21 | 21           | Black lining         |
| FSW2604221220CJ. 22 | 22           | White pearl foam     |

**Photograph of parts tested:**







Report No.: WTF26F04109216C

Job No.: FSW2604221220CJ



**Remarks:**

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====