

## **TEST REPORT**

Report No.:WTF22F10202853A2CApplicant:Mid Ocean Brands B.V.

Address ......: 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer106716Sample NameBandanaSample ModelMO6608

Test Requested : 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No.

836/2012 and (EU) 2015/628

2) Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU)

2016/217

3) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).

4) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Test Conclusion .....: Refer to next page (s)

Date of Receipt sample ...... 2022-10-12 & 2022-10-31 & 2022-11-30

**Date of Issue** ..... 2022-12-19

Test Result .....: Refer to next page (s)

**Note**..... As specified by client, only test the designated sample.

## Prepared By: Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City,
Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang


Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn





Sample photo:





#### **Test Results:**

#### 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tarak Kama Steller	LOQ Results (mg/kg)			Limit	
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.5	(mg/kg)	
Lead(Pb)	2	ND*	ND*	500	
Conclusion		Pass	Pass	n 20 - 2	

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.

### 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

-NULL MULL M	LOQ	Results (mg/kg)			
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.5		
Cadmium(Cd)	2	ND*	ND*		
Conclusion		Pass	Pass		

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)	
Wet paint	100	
Surface coating	1000	
Plastic	100	
Metal parts of jewellery and hair accessories	100	

(5) "\*" = Results are calculated by the minimum weight of mixed components.



3) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Aminos Substantia	CAS No.	Limit (mg/kg)	Result (mg/kg)		
NO.	Amines Substances			No.1+No.2+No.3	No.4+No.5	
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*	
2	Benzidine	92-87-5	30	ND*	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*	
14	p-cresinin	120-71-8	30	ND*	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*	
18	o-Toluidine	95-53-4	30	ND*	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*	
21	o-anisidine	90-04-0	30	ND*	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	ND*	
C.	Conclusion		JL - J+	Pass	Pass	

#### Note

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "\*" = Results are calculated by the minimum weight of mixed components.



## 4) Colour Fastness to Rubbing

Colour Fastness to Rubbing							
(ISO 105-X1	2: 2016; Size of rubbir	ng finger: 16mi	m diameter.)		٠, , , ,	. at all	
are an	1/1 1/1 /	No.1	No.2	No.3	No.4	Client's Limit	
Length	Dry staining	4-5	4-5	4-5	4-5	2-3	
	Wet staining	3-4	4	2-3	4	2-3	
VAC 1d	Dry staining	4-5	4-5	4-5	4-5	2-3	
Width	Wet staining	3-4	4	2-3	4	2-3	
Conclusion		Pass	Pass	Pass	Pass	2012 2012	

## Note:


(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

## **Description for Specimen:**

Specimen No.	Specimen Description  Blue main fabric with white printing		
The mail on y			
- 1th 12 with nite in	Red main fabric with white printing		
711 3 7	White main fabric with black printing		
mitter unite 4 per par	Grey main fabric with white printing		
5 4	Black main fabric with white printing		







#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======







Report No.: RTS221215B1468TX Date: 2022-12-15 Page 1 of 3

# **TEST REPORT**

Test information				
Applicant	:	Mid Ocean Brands B.V.		
Address	:	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, H	ong Kong	
Sample Description	:	Bandana.		
Style #	:	MO6608.		
Country of origin	:	China.		
Export to	:	Europe.		
Receiving Date	:	December 15, 2022.		
Test period	:	December 15, 2022. ~ December 15, 2022.		
Test Requested	:	Tests requested in accordance to client requirement.		
		TEST ITEMS	CONCLUSION	
Color fastness to rubbing - ISO 105-X12:2016			SEE RESULT	

Signed for and on behalf of RTS TEST CO., LTD.( Zhejiáng) CHANGBIAO YU

Approved signatory







Scan for authenticity



Report No.: RTS221215B1468TX Date: 2022-12-15 Page 2 of 3

## Sample image:





Report No.: RTS221215B1468TX Date : 2022-12-15 Page 3 of 3

### **Test result:**

## A. Color Fastness to Rubbing: (Unit: Grade)

Test Method: ISO 105-X12:2016.

Test Number	Item/ component description(s)		
A1	Black /white fabric		

Test item(s)		Test result A1	Test conditions
Morn	Dry	4-5	
Warp	Wet	3	1). The friction head (16 + 0.1mm)
\\/aft	Dry	4-5	2).Test environment:20.1℃,65.2%,4l
Weft	Wet	3	

#### Note:

#### **Explanation of colorfastness results:**

Grade 5 negligible or no changing or staining
Grade 4 slightly changing or staining
Grade 3 noticeably changing or staining
Grade 2 considerably changing or staining
Grade 1 much changing or heavily staining

