



TEST REPORT

Report No. : WTF22F09186570C
Applicant : Mid Ocean Brands B.V.
Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,
Kowloon, Hong Kong
Manufacturer : 111587
Sample Name : Refer to next page (s)
Sample Model : Refer to next page (s)
Test Requested : 1) Determination of Lead content in the submitted sample in
accordance with REACH regulation Annex XVII Entries
63 (EC) No. 1907/2006 and the amendment No.
836/2012 and (EU) 2015/628
2) Determination of Cadmium content in the submitted
sample in accordance with REACH regulation Annex XVII
Entries 23 (EC) No. 1907/2006 and the amendment No.
552/2009, No. 494/2011, No. 835/2012 and (EU)
2016/217
3) Determination of specified Phthalates content according to
Annex XVII Items 51 & 52 of the REACH Regulation (EC)
No. 1907/2006 & Amendment No. 552/2009 & No.
2018/2005
4) Determine the specified AZO Colorants contents in the
submitted sample in according to the Entries 43 in Annex
XVII of the REACH Regulation (EC) No.1907/2006 and
the Amendment Regulation (EC) No.552/ 2009 & No.126/
2013 (previously restricted under Directive 2002/61/EC).
5) As requested by the applicant, to test Colour Fastness to
Rubbing in the submitted sample.
Test Conclusion : Refer to next page (s)
Date of Receipt sample : 2022-09-15
Testing period : 2022-09-15 to 2022-09-21
Date of Issue : 2022-09-22
Test Result : Refer to next page (s)
Note : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City,
Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd.

<http://www.waltek.com.cn>



Report No.: WTF22F09186570C

| Specimen No. | Specimen Description | Sample Name | Sample Model |
|--------------|---|--|------------------------|
| 1 | Black main fabric | 15 inch laptop backpack, Computer bag in washed canvas, Rolltop backpack | MO6763, MO6764, MO6704 |
| 2 | Black net fabric | | |
| 3 | Black elastic band | | |
| 4 | Black zipper fabric | | |
| 5 | Black plastic zipper tooth | | |
| 6 | Silvery metal zipper head with black coating | | |
| 7 | Black fabric rim | | |
| 8 | Black plastic buckle | | |
| 9 | Black net fabric | | |
| 10 | Black webbing | | |
| 11 | Silvery metal zipper head with black coating | | |
| 12 | Black lining | | |
| 13 | Black plastic loop(VELCRO) | | |
| 14 | Black plastic hook(VELCRO) | | |
| 15 | Black webbing | | |
| 16 | Black synthetic leather | | |
| 17 | Dark silvery metal ring | | |
| 18 | Dark silvery metal buckle | | |
| 19 | Dark silvery metal ring | | |





Report No.: WTF22F09186570C

Sample photo:



1.15 inch laptop backpack



2.Rolltop backpack



3.Computer bag in washed canvas





Report No.: WTF22F09186570C

Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | | | Limit (mg/kg) |
|-------------------|-------------|-----------------|-------------|-------------|-------------|---------------|
| | | No.1 | No.2+No.3 | No.4+No.7 | No.5 | |
| Lead(Pb) | 2 | ND | ND* | ND* | ND | 500 |
| Conclusion | -- | Pass | Pass | Pass | Pass | -- |

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | | Limit (mg/kg) |
|-------------------|-------------|-----------------|-------------|-------------|---------------|
| | | No.6 | No.8 | No.9+No.10 | |
| Lead(Pb) | 2 | 20 | ND | ND* | 500 |
| Conclusion | -- | Pass | Pass | Pass | -- |

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | | Limit (mg/kg) |
|-------------------|-------------|-----------------|-------------|-------------|---------------|
| | | No.11 | No.12 | No.13+No.14 | |
| Lead(Pb) | 2 | ND | ND | ND* | 500 |
| Conclusion | -- | Pass | Pass | Pass | -- |

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | | Limit (mg/kg) |
|-------------------|-------------|-----------------|-------------|--------------------|---------------|
| | | No.15 | No.16 | No.17+No.18 +No.19 | |
| Lead(Pb) | 2 | ND | ND | 49* | 500 |
| Conclusion | -- | Pass | Pass | Pass | -- |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



Report No.: WTF22F09186570C

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | |
|-------------------|----------------|-----------------|-------------|-------------|
| | | No.1 | No.2+No.3 | No.4+No.7 |
| Cadmium(Cd) | 2 | ND | ND* | ND* |
| Conclusion | -- | Pass | Pass | Pass |

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | |
|-------------------|----------------|-----------------|-------------|-------------|
| | | No.5 | No.6 | No.8 |
| Cadmium(Cd) | 2 | ND | ND | ND |
| Conclusion | -- | Pass | Pass | Pass |

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | |
|-------------------|----------------|-----------------|-------------|-------------|
| | | No.9+No.10 | No.11 | No.12 |
| Cadmium(Cd) | 2 | ND* | ND | ND |
| Conclusion | -- | Pass | Pass | Pass |

| Test Item | LOQ (mg/kg) | Results (mg/kg) | | |
|-------------------|----------------|-----------------|-------------|-------------|
| | | No.13+No.14 | No.15 | No.16 |
| Cadmium(Cd) | 2 | ND* | ND | ND |
| Conclusion | -- | Pass | Pass | Pass |

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

| Category | Limit (mg/kg) |
|---|---------------|
| Wet paint | 100 |
| Surface coating | 1000 |
| Plastic | 100 |
| Metal parts of jewellery and hair accessories | 100 |

- (5) "***" = Results are calculated by the minimum weight of mixed components.



Report No.: WTF22F09186570C

3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

| Test Items | LOQ (%) | Results (%) | | | Limit (%) |
|--------------------------------------|---------|-------------|-------------|-------------|-------------------------------|
| | | No.8 | No.15 | No.16 | |
| Benzyl butyl phthalate (BBP) | 0.005 | ND | ND | ND | sum of four phthalates < 0.1 |
| Di (2-ethyl hexyl)- phthalate (DEHP) | 0.005 | ND | ND | ND | |
| Dibutyl phthalate (DBP) | 0.005 | ND | 0.018 | ND | |
| Diisobutyl phthalate (DIBP) | 0.005 | ND | ND | ND | |
| Diisodecyl phthalate (DIDP) | 0.01 | ND | ND | ND | sum of three phthalates < 0.1 |
| Diisononyl phthalate (DINP) | 0.01 | ND | ND | ND | |
| Di-n-octyl phthalate (DNOP) | 0.005 | ND | ND | ND | |
| Conclusion | -- | Pass | Pass | Pass | -- |

Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DINP= Di-isononyl phthalate

DNOP= Di-n-octyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No.

1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.



Report No.: WTF22F09186570C

4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

| No. | Amines Substances | CAS No. | Limit (mg/kg) | Result (mg/kg) | |
|-------------------|---|----------|---------------|----------------|-------------|
| | | | | No.1 | No.2+No.3 |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND | ND* |
| 2 | Benzidine | 92-87-5 | 30 | ND | ND* |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND | ND* |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND | ND* |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND | ND* |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND | ND* |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND | ND* |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND | ND* |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND | ND* |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND | ND* |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND | ND* |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND | ND* |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND | ND* |
| 14 | p-cresinin | 120-71-8 | 30 | ND | ND* |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND | ND* |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND | ND* |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND | ND* |
| 18 | o-Toluidine | 95-53-4 | 30 | ND | ND* |
| 19 | 2,4-Toluylendiamine | 95-80-7 | 30 | ND | ND* |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND | ND* |
| 21 | o-anisidine | 90-04-0 | 30 | ND | ND* |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND | ND* |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND | ND* |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND | ND* |
| Conclusion | | -- | -- | Pass | Pass |



Report No.: WTF22F09186570C

| No. | Amines Substances | CAS No. | Limit (mg/kg) | Result (mg/kg) | |
|-------------------|---|----------|---------------|----------------|-------------|
| | | | | No.9+No.10 | No.12 |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND* | ND |
| 2 | Benzidine | 92-87-5 | 30 | ND* | ND |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND* | ND |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND* | ND |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND* | ND |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND* | ND |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND* | ND |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND* | ND |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND* | ND |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND* | ND |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND* | ND |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND* | ND |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND* | ND |
| 14 | p-cresinin | 120-71-8 | 30 | ND* | ND |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND* | ND |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND* | ND |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND* | ND |
| 18 | o-Toluidine | 95-53-4 | 30 | ND* | ND |
| 19 | 2,4-Toluyldiamine | 95-80-7 | 30 | ND* | ND |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND* | ND |
| 21 | o-anisidine | 90-04-0 | 30 | ND* | ND |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND* | ND |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND* | ND |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND* | ND |
| Conclusion | | -- | -- | Pass | Pass |



Report No.: WTF22F09186570C

| No. | Amines Substances | CAS No. | Limit (mg/kg) | Result (mg/kg) | |
|-------------------|---|----------|---------------|----------------|-------------|
| | | | | No.15 | No.16 |
| 1 | 4-Aminobiphenyl | 92-67-1 | 30 | ND | ND |
| 2 | Benzidine | 92-87-5 | 30 | ND | ND |
| 3 | 4-chloro-o-Toluidine | 95-69-2 | 30 | ND | ND |
| 4 | 2-Naphthylamine | 91-59-8 | 30 | ND | ND |
| 5 | o-Aminoazotoluene | 97-56-3 | 30 | ND | ND |
| 6 | 2-Amino-4-nitrotoluene | 99-55-8 | 30 | ND | ND |
| 7 | p-Chloroaniline | 106-47-8 | 30 | ND | ND |
| 8 | 2,4-diaminoanisol | 615-05-4 | 30 | ND | ND |
| 9 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 30 | ND | ND |
| 10 | 3,3'-Dichlorobenzidine | 91-94-1 | 30 | ND | ND |
| 11 | 3,3'-Dimethoxybenzidine | 119-90-4 | 30 | ND | ND |
| 12 | 3,3'-Dimethylbenzidine | 119-93-7 | 30 | ND | ND |
| 13 | 3,3'-Dimethyl-4,4'-diaminodiphenylmethane | 838-88-0 | 30 | ND | ND |
| 14 | p-cresinin | 120-71-8 | 30 | ND | ND |
| 15 | 4,4'-Methylen-bis-(2-chloroaniline) | 101-14-4 | 30 | ND | ND |
| 16 | 4,4'-Oxydianiline | 101-80-4 | 30 | ND | ND |
| 17 | 4,4'-Thiodianiline | 139-65-1 | 30 | ND | ND |
| 18 | o-Toluidine | 95-53-4 | 30 | ND | ND |
| 19 | 2,4-Toluyldiamine | 95-80-7 | 30 | ND | ND |
| 20 | 2,4,5 – Trimethylaniline | 137-17-7 | 30 | ND | ND |
| 21 | o-anisidine | 90-04-0 | 30 | ND | ND |
| 22 | 4-aminoazobenzene | 60-09-3 | 30 | ND | ND |
| 23 | 2,4-Xylidin | 95-68-1 | 30 | ND | ND |
| 24 | 2,6-Xylidin | 87-62-7 | 30 | ND | ND |
| Conclusion | | -- | -- | Pass | Pass |

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006
- "*" = Results are calculated by the minimum weight of mixed components.



Report No.: WTF22F09186570C

5) Colour Fastness to Rubbing

| Colour Fastness to Rubbing | | | | | | |
|---|--------------|-------------|-------------|-------------|-------------|----------------|
| (ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.) | | | | | | |
| | | No.1 | No.2+No.3 | No.9 | No.10 | Client's Limit |
| Length | Dry staining | 4 | 4-5* | 4-5 | 4-5 | 2-3 |
| | Wet staining | 3 | 4-5* | 4-5 | 4-5 | 2-3 |
| Width | Dry staining | 4 | 4-5* | 4-5 | 4-5 | 2-3 |
| | Wet staining | 3 | 4-5* | 4-5 | 4-5 | 2-3 |
| Conclusion | | Pass | Pass | Pass | Pass | -- |

| Colour Fastness to Rubbing | | | | | |
|---|--------------|-------------|-------------|-------------|----------------|
| (ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.) | | | | | |
| | | No.12 | No.15 | No.16 | Client's Limit |
| Length | Dry staining | 4-5 | 4-5 | 4-5 | 2-3 |
| | Wet staining | 4-5 | 4-5 | 4-5 | 2-3 |
| Width | Dry staining | 4-5 | 4-5 | 4-5 | 2-3 |
| | Wet staining | 4-5 | 4-5 | 4-5 | 2-3 |
| Conclusion | | Pass | Pass | Pass | -- |

Note:

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) "*" = As per applicant's requirement, the testing was conducted based on mixed components.

Photograph of parts tested:





Report No.: WTF22F09186570C





Report No.: WTF22F09186570C

Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

WALTEK