



TEST REPORT

Report No. : WTF23F08181629C

Applicant Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer..... 118102

Sample Name TWS earbuds with charging box

Sample Model : MO6862

Test Requested..... : Refer to next page (s)

Test Conclusion : Pass (Please refer to next pages for details)

Date of Receipt sample..... : 2023-08-18

Testing period.....: 2023-08-18 to 2023-08-30

Date of Issue 2023-08-31

Test Result : Refer to next page (s)

Note.....: As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang



Summary

Item No.	Test Requested	Test Conclusion	
whitek	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass Inter	
2	Nickel content requirement in Annex XVII Item 27 of the REACH Regulation (EC) No. 1907/2006 & amendment No.552/2009 (formerly known as Directive 94/27/EC and 2004/96/EC)	Pass +	

MANAGE LIE E LE



Sample photo:







Test Results:

1) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	Unit	Results No.5+No.6+No.7	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	*t	Pass	White White	mer and	

Test Items	Unit	Results	LOQ	Limit	
The strength of the	No.8				
Benzo(a)anthracene (BaA)	mg/kg	ND	0.2	1.0	
Chrysene (CHR)	mg/kg	ND -	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	My ND W	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND THE	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ni ND ni w	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	MD ME	0.2	1.0	
Conclusion	20 -	Pass	MITE - MITE	where are	



Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.

2) Nickel release

Test method: With reference BS EN1811: 2011+A1:2015, Nickel content was determined by Inductively Coupled Argon Plasma Spectrometry

2112 211	Commis	Volume of	- 14	Nickel	release	Mr. M.	14 1
Item No.	Sample Area (cm ²)	Test		(μg/cm	²/week)	Conclusion	
WILL WALL	Area (CIII)	Solution(ml)	Trial 1	Trial 2	Trial 3	Average	Were Mrs
No.31	4.80	10	0.27	0.22	0.44	0.31	Pass

Note:

- (1) μg/cm²/week = microgram per square centimetre per week
- (2) Limit of quantitation = 0.05 μg/cm²/week
- (3) ND = Not Detected or lower than limit of quantitation
- (4) Interpretation of test results:


unit with with the telegraph	Nickel Release(μg/cm²/week)		
Type of sample	Pass	TEL WILL Fail Life WALL	
Other components in direct and prolonged contact with the skin	<0.88	≥0.88	
Post assemblies and body piercings (Post assemblies which are inserted into pierced parts of the human body)	<0.35 Constitution	≥0.35	




Description for Specimen:

Specimen No.	Specimen Description
5 11 11	Black plastic shell
40° 6 40° 00°	Black plastic sheet
Lifet NITE TOLIFE WALTER	Black plastic cover
8	Black soft plastic stopper
11 , 11 , 131 , 11 , 11 , 11 , 11 , 11	Golden metal pin

Photograph of parts tested:









Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

