

Page 1 of 11

Report No.: LCSA021523085R

Verification Report

Applicant	:	Mid Ocean Brands B.V.
Address	:	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Report on the submitted samples said to be:

Sample Name(s) :	Calculator	
Trade Mark :	N/A	
Part No. :	KC2656	
Sample Received Date :	February 16, 2023	
Testing Period :	February 16, 2023 ~ February	22, 2023
Date of Report :	February 22, 2023	
Testing Location :		ndustrial Zone, Heshuikou Community, strict, Shenzhen, Guangdong, China
Results :	Please refer to next page(s).	

TEST REQUEST		CONCLUSION
As specified by client, based of	on the performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mer	cury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs	8,
Dibutyl Phthalate(DBP), Buty	lbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobu	tyl phthalate(DIBP) content comply with the limits set by	7
RoHS Directive 2011/65/EU v	vith amendment (EU) 2015/863.	wan 检测版份
LCS Testing	LCS Testing L	LCS Testing

Signed for and on behalf of LCS

Lily dan





Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives

<u>Test method:</u> With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample No.	Samula	Results						Date of sample
	Sample Description	Cd	2d Pb Hg	На	Cr▼	B	r▼	submission/
	P	Cu		CI	PBBs	PBDEs	Resubmission	
1	Silver metal sheet	BL	BL	BL	BL	/	/	2023-02-16
2	Transparent plastic shell	BL	BL	BL	BL	BL	BL	2023-02-16
3	Yellow colloid	BL	BL	BL	BL	BL	BL	2023-02-16
4	Blue plastic frame	BL	BL	BL	BL	BL	BL	2023-02-16
5	Silver plastic shell	BL	BL	BL	BL	BL	BL	2023-02-16
6	Transparent label	BL	BL	BL	BL	BL	BL	2023-02-16
7	White rubber sheet	BL	BL	BL	BL	BL	BL	2023-02-16
8	Black rubber sheet	BL	BL	BL	BL	BL	BL	2023-02-16
9	Black foam block	BL	BL	BL	BL	BL	BL	2023-02-16
10	White paper	BL	BL	BL	BL	BL	BL	2023-02-16
11	Silver metal screw	OL	BL	BL	BL	1	/	2023-02-16
12	Black glass photosensitive film	BL	BL	BL	BL	BL	BL	2023-02-16
13	Silver metal solder	BL	BL	BL	BL	/	1	2023-02-16
14	Transparent glass screen	BL	BL	BL	BL	BL	BL	2023-02-16
15	Black stripe film	BL	BL	BL	BL	BL	BL	2023-02-16
16	Scotch tape	BL	BL	BL	BL	BL	BL	2023-02-16
17	White plastic sheet	BL	BL	BL	BL	BL	BL	2023-02-16
18	Red plastic wire cover	BL	BL	BL	BL	BL	BL	2023-02-16
19	Black plastic wire leather	BL	BL	BL	BL	BL	BL	2023-02-16
20	Copper metal core	Х	BL	BL	BL	/	位讯	2023-02-16
21	Black hard colloid	BL	BL	BL	BL	BL	BLCS	2023-02-16
22	Brown plastic chip capacitor	BL	BL	BL	BL	BL	BL	2023-02-16
23	Green plastic PCB board	BL	BL	BL	BL	BL	BL	2023-02-16
24	Silver metal contact	BL	BL	BL	BL	/	/	2023-02-16
25	Silver metal solder	BL	BL	BL	BL	/	/	2023-02-16





Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<Χ</td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<Χ</td></x<>	BL≤(500-3σ)<Χ
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.







RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



R





B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Cadmium(Cd)

Tested Items	MDL		Results (mg/kg)		
	(mg/kg)	(11)	(20)	(mg/kg)	
Cadmium(Cd) Content	5	N.D.	N.D.	100	

2) The test results of Phthalates(DBP, BBP, DEHP & DIBP)

Tested Items		Res (mg	Limit	
	(mg/kg)	18	19	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	1000





Page 6 of 11

Report No.: LCSA021523085R

Tested Items	MDL (mg/kg)	Results (mg/kg) 2+3+4+5+6+7	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Items	MDL (mg/kg) Results (mg/kg) 8+9+10+12+14+15		Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Items	MDL	Results (mg/kg)	Limit	
LCS Testine	(mg/kg)	16+17+21+22+23	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000	

Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = milligrams per kilogram
- According to customer's requirement, only the appointed materials have been tested.






Test Process


1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013







4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs) : IEC 62321-6:2015







Page 9 of 11


立讯检测股

The photo(s) of the sample










120





Statement:

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***

