

RoHS Test Report

Report No. : AGC05443250605-001

SAMPLE NAME : Power bank

MODEL NAME : MO2602

APPLICANT: MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Jun. 10, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Applicant : MID OCEAN BRANDS B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong.

Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : Power bank

Model : MO2602

Vendor code : 114538

Country of Origin : CHINA

Country of Destination : EUROPE

Sample Received Date : Jun. 03, 2025

Testing Period : Jun. 03, 2025 to Jun. 09, 2025

Test Requested : Selected test(s) as requested by client.

Test Requested: Conclusion

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 - Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Pass

Report No.: AGC05443250605-001

Approved by: Suhong hung

Suhongliang

Technical Director



Jun. 10, 2025

Report No.: AGC05443250605-001

Initial release

Report Revise Record					
Report Version	Issued Date	Valid Version	Notes		


Valid




Report No.: AGC05443250605-001 **The photo of the sample**























AGC®




















AGC[®]











The photo of AGC05443250605-001 is for use only with the original report.

Test Point Description

Test point	Test module	Test parts	Test point description			
Power bank Model: MO2602						
1		Outer shell	Navy Blue Plastic Shell			
2			Black screw			
3			Type-C metal connector			
4		Type-C connector	Grey plastic joint			
5	Circuit board		Metal pin			
6		Switch	Grey plastic switch			
7		SWICH	Metallic shell			



			Report No.: AGC05443250605-001
8			Metallic shrapnel
9			White plastic base
10		Magnetic frame	Grey magnetic frame
11		inductance	Enameled wire
12			Chip LED
13			Chip capacitor
14			Chip resistor
15			IC body
16		IC	Solder at the pins
17			Metal pin
18			PCB
19			Solder
20		771	Black thermistor body
21		Thermistor	Enameled wire
22		D #	Tan tape
23		Battery	Black foam with glue
USB line	Black	·	
24			USB metal plug
25			Milk white inner glue
26			White plastic plug
27			Metal pin
28			PCB
29		USB Adaptor	Solder
30			Grey plastic plug
31			Metal pin
32			Type-C metal plug
33			Black handle
34			Chip resistor
35			Type-C metal plug
36			Metal pin
37			Metallic pogopin
38		Type-C plug	White plastic plug
39			PCB
40			Solder
41			Chip capacitor
42			Black outer wire jacket
43			Green wire jacket
44			Black wire jacket
45		Wire rod	White wire jacket
46			Yellow wire jacket
47			Red wire jacket
48			Conductor
Difference		<u> </u>	
49		Black	Black plastic shell
		Diagn	Stark plastic strett



 Report No.: AGC05443250605-001

 50
 -- White
 White plastic shell

 USB line White Difference
 USB plug
 White handle

 51
 -- USB plug
 White outer wire jacket

 52
 -- Wire rod
 White outer wire jacket

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001% Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

- Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method			
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-1:2015/ UV-Vis	0.1 μg/cm ²	/
-Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)		50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)	\dashv	50mg/kg	1000mg/kg



Test point	Test	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250605-00 Conclusion
		Pb	BL	/	
		Cd	BL	/	
]	Hg	BL	/	
		(Cr ⁶⁺)	BL	/	
1	Br	PBBs PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	N.D. /	
		Cd	BL	/	
			BL	/	
		Hg		/	
	Cr(Cr ⁶⁺)	BL	/	
2	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP		N/A	/	
	DBP		N/A	/	
	BBP		N/A	/	
	DEHP		N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
3	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
4			BL	/	
		Hg (Cr ⁶⁺)		/	
	Cr(BL	/	
	Br	PBBs	BL	/	Conformity
	T.	PBDEs	TAT/A	N D	
		IBP	N/A	N.D.	
		BP DR	N/A	N.D.	
		BP	N/A	N.D.	
	D)	EHP	N/A	N.D.	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
]	Pb	BL	/	
		Cd	BL	/	
]	Hg	BL	/	
		Cr ⁶⁺)	BL	/	
<u></u>		PBBs	27/4	/	
5	Br	PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
	Б	BP	N/A	/	
	В	BP	N/A	/	
	D	ЕНР	N/A	/	
	-	Pb	BL	/	
	(Cd	BL	/	
]	Hg	BL	/	
		Cr ⁶⁺)	BL	/	
_		PBBs		/	Conformity
6	Br	PBDEs	BL	/	
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
7	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		ЕНР	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
8		Hg	BL	/	
		Cr ⁶⁺)	IN	N.D.	
		PBBs		/	G 2 :
	Br	PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		EHP	N/A	/	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cro	(Cr^{6+})	BL	/	
9	Br	PBBs PBDEs	BL	/	Conformity
	D	OIBP	N/A	N.D.	
)BP	N/A	N.D.	
		BBP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
		(Cr^{6+})	IN	N.D.	
	CI	PBBs		/	Conformity
10	Br	PBDEs	BL	/	
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
11	Br	PBBs PBDEs	BL	/	Conformity
-	DIBP		N/A	N.D.	
-)BP	N/A	N.D.	
-		BBP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
-		Cd	BL	,	
}		Hg	BL	/	
-		(Cr^{6+})	BL	/	
12		PBBs	BL	/	Conformity
12	Br PBDEs		DL	/	Conformity
	D	IBP	N/A	N.D.	
)BP	N/A	N.D.	
Γ	E	BBP	N/A	N.D.	
	D	ЕНР	N/A	N.D.	



Test point	Tes	t Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
		(Cr^{6+})	BL	/	
13	Br	PBBs PBDEs	BL	/	Conformity
_	Γ	OIBP	N/A	N.D.	
		OBP	N/A	N.D.	
		BBP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
_		Hg	BL	/	
_		(Cr^{6+})	BL	/	
-	CI	PBBs	DL	/	
14	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
15	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
		OBP	N/A	N.D.	
		BBP	N/A	N.D.	
<u> </u>		EHP	N/A	N.D.	
		Pb	IN	212	
		Cd	BL	/	
		Hg	BL	/	
-		(Cr^{6+})	BL	/	
16	PBBs PBBs		N/A	/	Conformity
<u> </u>		PBDEs		/	Comornity
<u> </u>		OIBP	N/A	/	
<u> </u>		OBP	N/A	/	
		BBP	N/A	/	
	D	EHP	N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250605-06
]	Pb	BL	/	
	(Cd	BL	/	
	I	łg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
17	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
		BP	N/A	/	
		BP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
<u> </u>		-Ig	BL	/	
<u> </u>		Cr ⁶⁺)	BL	/	
-		PBBs		N.D.	
18	Br	PBDEs	IN	N.D.	Conformity
-	DIBP		N/A	N.D.	
-	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	N.D.	
-	Cd		BL	/	
-			BL	/	
-	Hg Cr(Cr ⁶⁺)		BL	/	
19	Br	PBBs	N/A	/	Conformity
-	DIBP DBP		N/A	/	
-				/	
-			N/A	/	
-	BBP DEHP		N/A	/	
			N/A	/	
<u> </u>		Pb	BL	/	
-		Cd	BL	/	
	l	Ig	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
20	Br PBBs PBDEs		BL	/	Conformity
	D	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
_		BP	N/A	N.D.	
		ЕНР	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	F	° b	BL	/	
	(Cd	BL	/	
	ŀ	łg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
21	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
_		Cd	BL	/	
-		Ig	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
22	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
-	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Нд		BL	/	
	$Cr(Cr^{6+})$		BL	/	
23	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd Cd	BL	/	
	Hg		BL	/	
		Cr ⁶⁺)	BL	/	
24	Br	PBBs PBDEs	N/A	/	Conformity
-	וח	BP	N/A	/	
-		BP	N/A	/	
-		BP	N/A N/A	/	
-		EHP	N/A N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250605-00
	I	Pb	BL	/	
	(Cd	BL	/	
	F	łg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
25	Br	PBBs PBDEs	BL	/	Conformity
	D	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd Cd	BL	/	
		Нg	BL	/	
		Cr ⁶⁺)	BL	/	
26	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	1
27	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP DBP		N/A	/	
			N/A	/	
		BP	N/A	/	
		EHP	N/A	/	
		Pb	BL	/	
		Cd Cd	BL	/	
-	Hg		BL	/	
	$Cr(Cr^{6+})$		BL	/	
28	Br	PBBs PBDEs	BL	/	Conformity
 	D ₁	IBP	N/A	N.D.	
<u> </u>		BP	N/A	N.D.	
 		BP	N/A	N.D.	
-		ьг ЕНР	N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr((Cr ⁶⁺)	BL	/	
29	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
)BP	N/A	/	
	E	BBP	N/A	/	
	D	ЕНР	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
]	Hg	BL	/	
		(Cr ⁶⁺)	BL	/	
30	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	-
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
31	Br	PBBs PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
)BP	N/A	/	
		BP	N/A	/	
		ЕНР	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
-		Hg	BL	/	
Ţ		(Cr^{6+})	IN	N.D.	
32	Br PBBs PBDEs		N/A	/	Conformity
ļ	D	IBP	N/A	/	
ļ)BP	N/A	/	
		BP	N/A	/	
		EHP	N/A	/	



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	Cd		BL	/	
		Ig	BL	/	
	Cr(C	Cr ⁶⁺)	BL	/	
33	Br	PBBs PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		CHP	N/A	N.D.	
		Pb	BL	/	
		Cd	BL	/	
		Ig	BL	/	
		Cr ⁶⁺)	BL	/	
_	CI(PBBs	DL	/	
34	Br	PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Нд		BL	/	
	Cr(Cr ⁶⁺)		IN	N.D.	
35	Br	PBBs PBDEs	N/A	/	Conformity
	DIBP DBP BBP DEHP		N/A	/	
			N/A	/	
			N/A	/	
			N/A	/	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
36	Br	PBBs PBDEs	N/A	/	Conformity
-	DIBP		N/A	/	
			N/A	/	
	DBP BBP		N/A	/	
		CHP	N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	(Cr^{6+})	IN	N.D.	
27	D.,,	PBBs	NT/A	/	G 6 :
37	Br	PBDEs	N/A	/	Conformity
	D	IBP	N/A	/	
	Ι)BP	N/A	/	
	E	BBP	N/A	/	
	D	ЕНР	N/A	/	
		Pb	BL	/	
		Cd	BL	/	
		Hg	BL	/	
	Cr	(Cr^{6+})	BL	/	
38	Br	PBBs	BL	/	Conformity
36		PBDEs		/	
_	DIBP		N/A	N.D.	
_	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
		Pb	BL	/	
	Cd		BL	/	
_	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
39	Br	PBBs PBDEs	BL	/	Conformity
	D	DIBP	N/A	N.D.	
	DBP BBP DEHP		N/A	N.D.	
-			N/A	N.D.	
			N/A	N.D.	
40	Pb		BL	/	
		Cd	BL	/	1
	Hg		BL	/	
		(Cr ⁶⁺)	BL	/	
	Br PBBs PBDEs		N/A	/	Conformity
-	DIBP		N/A	/	-
-			N/A	/	
-	DBP BBP		N/A	/	
-			N/A	/	
	DEHP		IN/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250605-00
	Pb		BL	/	
	(Cd	BL	/	
	F	łg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
41	Br	PBBs PBDEs	BL	/	Conformity
	D	BP	N/A	N.D.	
		BP	N/A	N.D.	
		BP	N/A	N.D.	
		EHP	N/A	N.D.	
		Pb	BL	/	
		Cd Cd	BL	/	
		Ig	BL	/	
		Cr ⁶⁺)	BL	/	
42	Br	PBBs PBDEs	BL	/	Conformity
	DIBP		N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
43	Br	PBBs PBDEs	BL	/	Conformity
	DIBP DBP BBP DEHP		N/A	N.D.	
			N/A	N.D.	
			N/A	N.D.	
			N/A	N.D.	
	Pb		BL	/	
		Cd Cd	BL	/	
	Hg		BL	/	
-	Cr(Cr ⁶⁺)		BL	/	
44	Br	PBBs PBDEs	BL	/	Conformity
 	DIBP		N/A	N.D.	
 	DBP		N/A	N.D.	
 		BP	N/A	N.D.	
<u> </u>		EHP	N/A	N.D.	



Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
Pb		BL	/	
(Cd	BL	/	
		BL	/	
Cr(Cr ⁶⁺)	BL	/	
Br	PBBs PBDEs	BL	/	Conformity
D		N/A	N.D.	
		N/A	N.D.	
В	BP	N/A	N.D.	
DI	ЕНР	N/A	N.D.	
J	Pb	BL	/	
		BL	/	
I	Hg	BL	/	
		BL	/	
Br	PBBs	BL	/	Conformity
		N/A	N.D.	
DEHP		N/A	N.D.	
		BL	/	
Br	PBBs	BL	/	Conformity
l .		N/A	N.D.	
BBP			N.D.	
			/	
		BL	/	
			/	1
		BL	/	
PBBs PBBs		N/A	/	Conformity
		N/A	/	1
			/	
BBP			,	-
R	BP I	N/A	/	
	Cr(Br Dr Cr(Br Dr Cr(Br Dr Cr(Br Cr(Cr(Br Cr(Cr(Br Cr(Cr($ \begin{array}{c c} & \qquad $	Test Item Spectrometry (XRF) mg/kg Pb BL Cd BL BL BL Cr(Cr ⁶⁺) BL Br PBBs PBDEs BL DIBP N/A DBP N/A BBP N/A DEHP N/A Pb BL Cd BL Hg BL Cr(Cr ⁶⁺) BL BBP N/A DBP N/A DBP N/A DBP N/A DEHP N/A DEHP N/A BB BL Cd BL BB BL DIBP N/A DBP <	Test Item



Test point	Test	Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	C05443250605-0
	Pb		BL	/	
	(Cd	BL	/	
	I	łg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
40	D	PBBs	DI	/	C C :
49	Br	PBDEs	BL	/	Conformity
	D	IBP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DI	ЕНР	N/A	N.D.	
	J	Pb	BL	/	
	(Cd	BL	/	
	I	łg	BL	/	
		Cr ⁶⁺)	BL	/	
50		PBBs	DI	/	Conformity
50	Br	PBDEs	BL	/	
	D.	IBP	N/A	N.D.	
	DBP		N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
51	Br	PBBs PBDEs	BL	/	Conformity
	DIBP DBP		N/A	N.D.	
			N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
-	Pb		BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr ⁶⁺)		BL	/	
52	Br	PBBs PBDEs	BL	/	Conformity
-	DIBP		N/A	N.D.	
-			N/A	N.D.	
-	DBP		N/A N/A	N.D.	
-	BBP DEHP		N/A N/A	N.D.	

Remark: The samples of the following test points were resubmitted on June 09, 2025:19



Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ≤OL</x
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Hg	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) Boiling-water-extraction:(X represents the results of the tested sample)

Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X < 0.1 \mu g/cm^2$	Negative
2	0.1μg/cm ² ≤X≤0.13μg/cm ²	Uncertainty
3	$X > 0.13 \mu g/cm^2$	Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.


Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.


(5) This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.






Test Flow Chart of XRF




Test Flow Chart of Phthalates









Test Flow Chart of Hexavalent Chromium (Cr6+)









Test Flow Chart of Hexavalent Chromium (Cr6+)









Test Flow Chart of PBBs and PBDEs







Test Flow Chart of Lead, Cadmium and Mercury



These sample were dissolved totally by pre-conditioning method according to above flow chart



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***