



中国认可
国际互认
检测
TESTING
CNAS L6478



TEST REPORT

Report No. : WTF25F06145388A1C
Job No. : FSW2506271393CJ
Applicant : Mid Ocean Brands B.V.
Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Manufacturer : 114768
Sample Name : TWS earbuds
Sample Model : MO2737
Test Requested : With reference to EU RoHS Directive 2011/65/EU and its amendment Directive EU 2015/863, to determine the Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content in the submitted sample.
Test Method : Refer to next page (s)
Test Conclusion : **Pass**
Date of Receipt Sample : 2025-06-27 & 2025-07-08 & 2025-07-15
Testing Period : 2025-06-27 to 2025-07-11 & 2025-07-15 ~ 2025-07-18
Date of Issue : 2025-07-18
Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang



WTF25F06145388A1C

Swing.Liang
Waltek Testing Group (Foshan) Co., Ltd.
<http://www.waltek.com.cn>



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Sample photo:





Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Test Results:**1. Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs**

Test Method/Equipment:

- 1) With reference to IEC 62321-2:2021, disassembly, disjunction and mechanical sample preparation
- 2) With reference to IEC 62321-3-1:2013, screening –Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry
- 3) With reference to IEC 62321-4:2013+AMD1:2017 CSV, determination of Mercury by ICP-OES
- 4) With reference to IEC 62321-5:2013, determination of Lead and Cadmium by ICP-OES
- 5) With reference to IEC 62321-7-2: 2017 and IEC 62321-7-1: 2015, determination of Hexavalent Chromium by UV-Vis
- 6) With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
1	White plastic shell	BL	BL	BL	BL	BL	NA	•
2	Transparent glass with black coating	BL	BL	BL	BL	--	NA	•
3	White plastic part with silvery plating	BL	BL	BL	BL	BL	NA	•
4	Silvery magnetic block	BL	BL	BL	BL	--	NA	•
5	Brown glue	BL	BL	BL	BL	BL	NA	•
6	Silvery metal strip	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
7	Silvery metal strip	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
8	Brown glue	BL	BL	BL	BL	BL	NA	Same 5
9	Transparent glass plate	BL	BL	BL	BL	--	NA	•
10	Grey transparent plastic sheet with adhesive	BL	BL	BL	BL	BL	NA	•
11	Silvery metal sheet	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
12	Brown FPC	BL	BL	BL	BL	BL	NA	•
13(R1)	Transparent double faced adhesive tape	BL	BL	BL	BL	BL	NA	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
14	Black plastic shell(socket)	BL	BL	BL	BL	BL	NA	•
15	Silvery metal pin(socket)	BL	BL	BL	BL	--	NA	•
16	Chip IC	BL	BL	BL	BL	BL	NA	•
17	Chip capacitor(brown)	BL	BL	BL	BL	BL	NA	•
18	Silvery transparent plastic sheet	BL	BL	BL	BL	BL	NA	•
19	Transparent plastic sheet	BL	BL	BL	BL	BL	NA	•
20	White plastic sheet	BL	BL	BL	BL	BL	NA	•
21	Transparent plastic plate	BL	BL	BL	BL	BL	NA	•
22	Black-white plastic sheet	BL	BL	BL	BL	BL	NA	•
23	White plastic shell	BL	BL	BL	BL	BL	NA	•
24	Chip LED	BL	BL	BL	BL	BL	NA	•
25	White FPC	BL	BL	BL	BL	BL	NA	•
26	Black plastic adhesive tape	BL	BL	BL	BL	BL	NA	•
27	Silvery metal plate	BL	BL	BL	BL	--	NA	•
28	Brown transparent plastic adhesive tape	BL	BL	BL	BL	BL	NA	•
29	Chip IC	BL	BL	BL	BL	BL	NA	•
30	Brow FPC	BL	BL	BL	BL	BL	NA	•
31	White plastic shell with silvery plating	BL	BL	BL	IN	BL	Cr ⁶⁺ : 14	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
32(R1)	Solder	BL	IN	BL	BL	--	Pb :176	•
33	Red PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND	•
34	Black plastic shell(button)	BL	BL	BL	BL	BL	NA	•
35	Golden metal part(button)	BL	BL	BL	BL	--	NA	•
36	Silvery metal shell(button)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
37	Silvery metal sheet(button)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
38	Silvery metal screw with black surface	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
39	Red PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND	•
40	Chip crystal oscillator	BL	BL	BL	BL	BL	NA	•
41	Chip audion	BL	BL	BL	BL	BL	NA	•
42	Black plastic shell(socket)	BL	BL	BL	BL	BL	NA	•
43	Golden metal pin(socket)	BL	BL	BL	BL	--	NA	•
44	Black plastic shell(socket)	BL	BL	BL	BL	BL	NA	•
45	Silvery metal pin(socket)	BL	BL	BL	BL	--	NA	•
46	Chip IC	BL	BL	BL	BL	BL	NA	•
47	Chip resistor	BL	BL	BL	BL	BL	NA	•
48	Chip capacitor(white)	BL	BL	BL	BL	BL	NA	•
49	Copper varnished wire(inductor)	BL	BL	BL	BL	BL	NA	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
50	Black magnetic shell(inductor)	BL	BL	BL	IN	--	Cr ⁶⁺ : ND	•
51	Chip capacitor(brown)	BL	BL	BL	BL	BL	NA	•
52	Chip diode	BL	BL	BL	BL	BL	NA	•
53	Silvery metal shell(socket)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
54	Black plastic core(socket)	BL	BL	BL	BL	BL	NA	•
55	Silvery metal pin(socket)	BL	BL	BL	BL	--	NA	•
56	Chip capacitor(grey)	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND	•
57	Black plastic wire covering	BL	BL	BL	BL	BL	NA	•
58	Silvery metal wire	BL	BL	BL	BL	--	NA	•
59	Red plastic wire covering	BL	BL	BL	BL	BL	NA	•
60	Off-white plastic shell	BL	BL	BL	BL	BL	NA	•
61	Golden metal pin	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
62	Black plastic sheet with adhesive	BL	BL	BL	BL	BL	NA	•
63	White plastic shell	BL	BL	BL	BL	BL	NA	•
64	White soft plastic shell	BL	BL	BL	BL	BL	NA	•
65	White plastic net	BL	BL	BL	BL	BL	NA	•
66	Silvery metal part	BL	BL	BL	BL	--	NA	•
67	White plastic shell	BL	BL	BL	BL	BL	NA	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
68	Black plastic shell	BL	BL	BL	BL	BL	NA	•
69	Silvery metal net with black surface	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
70	Black net fabric	BL	BL	BL	BL	BL	NA	•
71	Blue plastic wire covering	BL	BL	BL	BL	BL	NA	•
72	Silvery metal wire	BL	BL	BL	BL	--	NA	•
73	White plastic wire covering	BL	BL	BL	BL	BL	NA	•
74	White dry glue	BL	BL	BL	BL	BL	NA	•
75	Solder	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
76	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND	•
77	Silvery metal shell	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
78	Black-white plastic adhesive tape	BL	BL	BL	BL	BL	NA	•
79	Silvery metal shell	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
80(R1)	Red glue	BL	BL	BL	BL	BL	NA	•
81	Black plastic shell	BL	BL	BL	BL	BL	NA	•
82	Silvery magnetic block	BL	BL	BL	BL	--	NA	•
83	Golden metal rim	BL	BL	BL	BL	--	NA	•
84	Black plastic film	BL	BL	BL	BL	BL	NA	•
85	Coppery metal wire	BL	BL	BL	BL	--	NA	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
86	Black plastic wire covering	BL	BL	BL	BL	BL	NA	•
87	Red plastic wire covering	BL	BL	BL	BL	BL	NA	•
88	Solder	BL	BL	BL	BL	--	NA	•
89	Golden metal shell	IN	OL	BL	IN	--	Cr ⁶⁺ : Negative Cd :31 #Pb : 1.98×10^4	•
90	Silvery metal spring	BL	BL	BL	BL	--	NA	•
91	Chip EC	BL	BL	BL	BL	BL	NA	•
92	Red PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND	•
93	Chip crystal oscillator	BL	BL	BL	BL	BL	NA	•
94	Black sponge adhesive tape	BL	BL	BL	BL	BL	NA	•
95	Green PCB	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND	•
96	Chip IC	BL	BL	BL	BL	BL	NA	•
97	Silvery metal sheet	BL	BL	BL	BL	--	NA	•
98	Solder	BL	BL	BL	BL	--	NA	•
99	White plastic wire jacket	BL	BL	BL	BL	BL	NA	•
100	White plastic jacket(USB plug)	BL	BL	BL	BL	BL	NA	•
101	Silvery metal shell(USB plug)	BL	BL	BL	BL	--	NA	•
102	White plastic core(USB plug)	BL	BL	BL	BL	BL	NA	•
103	Solder(USB plug)	BL	IN	BL	BL	--	Pb :248	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
104	Silvery metal pin(USB plug)	BL	BL	BL	BL	--	NA	•
105	Red plastic wire covering	BL	BL	BL	BL	BL	NA	•
106	Black plastic wire covering	BL	BL	BL	BL	BL	NA	•
107	Coppery metal wire	BL	BL	BL	BL	--	NA	•
108	White plastic jacket(Type-C plug)	BL	BL	BL	BL	BL	NA	•
109	Silvery metal shell(Type-C plug)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
110	Solder(Type-C plug)	BL	BL	BL	BL	--	NA	•
111	Black plastic core(Type-C plug)	BL	BL	BL	BL	BL	NA	•
112	Silvery metal pin(Type-C plug)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative	•
113	Green PCB(Type-C plug)	BL	BL	BL	BL	IN	PBBs : ND PBDEs : ND	•
114	Chip EC(Type-C plug)	BL	OL	BL	BL	BL	*Pb : 1195	•
115	Black plastic shell	BL	BL	BL	BL	BL	NA	•
116	Black plastic shell	BL	BL	BL	BL	BL	NA	•
117	Black soft plastic shell	BL	BL	BL	BL	BL	NA	•
118	Black plastic shell	BL	BL	BL	BL	BL	NA	•
119	Black plastic net	BL	BL	BL	BL	BL	NA	•
120	Black plastic wire jacket	BL	BL	BL	BL	BL	NA	•
121	Black plastic jacket(Type-C plug)	BL	BL	BL	BL	BL	NA	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)	Note
		Cd	Pb	Hg	Cr	Br		
122	Black plastic jacket(USB plug)	BL	BL	BL	BL	BL	NA	•

2. Phthalates

Test Method/Equipment:

1) With reference to IEC 62321-8:2017, determination of DBP, BBP, DEHP, DIBP by GC-MS

Serial No.	Part No.	Result (mg/kg)				Note
		DBP	BBP	DEHP	DIBP	
T01	1+10+14+18+19 [△]	ND	ND	ND	ND	•
T02	5+74 [△]	ND	ND	ND	ND	•
T03	8	--	--	--	--	Same 5
T04	80(R1)	ND	ND	ND	ND	•
T05	12+25+30+33+39 [△]	ND	ND	ND	ND	•
T06	13(R1)	ND	ND	102	ND	•
T07	16+17+24+29+40 [△]	ND	ND	ND	ND	•
T08	(20+21+22+23+31) [△]	ND	ND	ND	ND	•
T09	26+28+78 [△]	ND	ND	ND	ND	•
T10	34+42+44+54+60 [△]	ND	ND	ND	ND	•
T11	41+46+47+48+51 [△]	ND	ND	ND	ND	•
T12	49	ND	ND	ND	ND	•
T13	52+56+91+93+96 [△]	ND	ND	ND	ND	•
T14	57+59+64 [△]	ND	ND	ND	ND	•
T15	62+63+65+67+68 [△]	ND	ND	ND	ND	•
T16	70	135	ND	ND	ND	•
T17	71+73+86 [△]	ND	ND	ND	ND	•
T18	76+92+95+113 [△]	ND	ND	ND	ND	•
T19	81+102+111+115+116 [△]	ND	ND	ND	ND	•
T20	84	199	ND	ND	ND	•
T21	87+99+100 [△]	ND	ND	122	ND	•
T22	94	ND	ND	ND	ND	•
T23	105+106+108 [△]	ND	ND	ND	ND	•
T24	114	ND	ND	ND	ND	•
T25	117+120+121 [△]	ND	ND	124	ND	•
T26	118+119 [△]	ND	ND	ND	ND	•
T27	122	ND	ND	ND	ND	•
T28	3	ND	ND	ND	ND	•
T29	2	--	--	--	--	•
T30	4	--	--	--	--	•



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Serial No.	Part No.	Result (mg/kg)				Note
		DBP	BBP	DEHP	DIBP	
T31	6	--	--	--	--	●
T32	7	--	--	--	--	●
T33	9	--	--	--	--	●
T34	11	--	--	--	--	●
T35	15	--	--	--	--	●
T36	27	--	--	--	--	●
T37	32(R1)	--	--	--	--	●
T38	35	--	--	--	--	●
T39	36	--	--	--	--	●
T40	37	--	--	--	--	●
T41	38	--	--	--	--	●
T42	43	--	--	--	--	●
T43	45	--	--	--	--	●
T44	50	--	--	--	--	●
T45	53	--	--	--	--	●
T46	55	--	--	--	--	●
T47	58	--	--	--	--	●
T48	61	--	--	--	--	●
T49	66	--	--	--	--	●
T50	69	--	--	--	--	●
T51	72	--	--	--	--	●
T52	75	--	--	--	--	●
T53	77	--	--	--	--	●
T54	79	--	--	--	--	●
T55	82	--	--	--	--	●
T56	83	--	--	--	--	●
T57	85	--	--	--	--	●
T58	88	--	--	--	--	●
T59	89	--	--	--	--	●
T60	90	--	--	--	--	●
T61	97	--	--	--	--	●
T62	98	--	--	--	--	●
T63	101	--	--	--	--	●
T64	103	--	--	--	--	●
T65	104	--	--	--	--	●
T66	107	--	--	--	--	●



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Serial No.	Part No.	Result (mg/kg)				Note
		DBP	BBP	DEHP	DIBP	
T67	109	--	--	--	--	•
T68	110	--	--	--	--	•
T69	112	--	--	--	--	•

Remark:

- (1) Results are obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for Cr^{6+}) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1: 2013 (unit: mg/kg)

Element	Polymer	Metal	Composite Materials
Cd	$\text{BL} \leq (70-3\sigma) < \text{IN} < (130+3\sigma) \leq \text{OL}$	$\text{BL} \leq (70-3\sigma) < \text{IN} < (130+3\sigma) \leq \text{OL}$	$\text{LOD} < \text{IN} < (150+3\sigma) \leq \text{OL}$
Pb	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (500-3\sigma) < \text{IN} < (1500+3\sigma) \leq \text{OL}$
Hg	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (500-3\sigma) < \text{IN} < (1500+3\sigma) \leq \text{OL}$
Cr	$\text{BL} \leq (700-3\sigma) < \text{IN}$	$\text{BL} \leq (700-3\sigma) < \text{IN}$	$\text{BL} \leq (500-3\sigma) < \text{IN}$
Br	$\text{BL} \leq (300-3\sigma) < \text{IN}$	--	$\text{BL} \leq (250-3\sigma) < \text{IN}$

BL= Below Limit

OL= Over Limit

LOD = Limit of Detection

- (2) "IN" expresses the inconclusive region, and further chemical testing to confirm whether it complies with the requirement of RoHS Directive.
- (3) The XRF screening test for RoHS elements – the reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) mg/kg =milligram per kilogram=ppm, $\mu\text{g}/\text{cm}^2$ = Micrograms per square centimetre.
- (5) ND = Not Detected or lower than limit of quantitation.
- (6) NA = Not Applicable, as the XRF screening test result was below the limit or as the XRF screening directly determine that test result was over the limit, it was not need to conduct the wet chemical testing.
- (7) -- = Not Regulated
- (8) LOQ = Limit of quantitation.

Test Items	Pb	Cd	Hg	Cr^{6+}		PBB	PBDE	DBP	BBP	DEHP	DIBP
Units	mg/kg	mg/kg	mg/kg	mg/kg	$\mu\text{g}/\text{cm}^2$	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOQ	2	2	2	8	0.1	5	5	50	50	50	50

The LOQ for single compound of PBBs and PBDEs is 5mg/kg, LOQ of Cr^{6+} for polymer and composite sample is 8mg/kg and LOQ of Cr^{6+} for metal sample is $0.1\mu\text{g}/\text{cm}^2$.



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

- (9) According to IEC 62321-7-1:2015, determined of Cr^{6+} on metal sample by boiling water extraction test method, and result is shown as Positive/Negative.

Boiling water extraction:

Negative = Absence of Cr^{6+} coating, the detected concentration in boiling water extraction solution is less than $0.10\mu\text{g}/\text{cm}^2$.

Positive = Presence of Cr^{6+} coating, the detected concentration in boiling water extraction solution is greater than $0.13\mu\text{g}/\text{cm}^2$.

Information on storage conditions and production date of the tested sample is unavailable and thus Cr^{6+} results represent status of the sample at the time of testing.

(10) RoHS Requirement

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr^{6+})	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)
Dibutyl phthalate (DBP)	0.1% (1000 mg/kg)
Benzyl butyl phthalate (BBP)	0.1% (1000 mg/kg)
Di(2-ethylhexyl) phthalate (DEHP)	0.1% (1000 mg/kg)
Di-iso-butyl phthalate (DIBP)	0.1% (1000 mg/kg)

(11) Abbreviation:

"Pb" denotes Lead, "Cd" denotes Cadmium, "Hg" denotes Mercury, "Cr" denotes Chromium, " Cr^{6+} " denotes Hexavalent Chromium, "Br" denotes Bromine, "PBBs" denotes Total Polybrominated Biphenyls, "PBDEs" denotes Total Polybrominated Diphenyl Ethers.

"DBP" denotes Dibutyl phthalate, "BBP" denotes Benzyl butyl phthalate (BBP), "DEHP" denotes Bis(2-ethylhexyl)-phthalate, "DIBP" denotes Diisobutyl phthalate, "PHT" denotes Phthalates.

- (12) " $\triangle$ " = As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.

- (13) " $\bullet$ " = Actual tested sample. Chemical tests were performed for the samples indicated by the photo in this report.

- (14) "Same" = It means that as per client's requirement, the sample and the actual tested sample are of the same material (or results of the sample are quoted from corresponding number report) and have not been tested

- (15)* = According to the declaration from client, the source of lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages is exempted by Directive 2011/65/EU ANNEX III-15.



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

(16)[#] = According to the declaration from client, the source of lead in test sample is from copper alloy while lead as copper alloy containing up to 4% lead by weight is exempted by Directive 2011/65/EU ANNEX III-6(c).

(17) For specimen 80(R1): The result(s) was(were) based on the dry weight of the raw material (Let it dry naturally for one day).


WALTEK



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Testing Flow chart:






Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ


Photograph of parts tested:





Report No.: WTF25F06145388A1C


Job No.: FSW2506271393CJ





Report No.: WTF25F06145388A1C


Job No.: FSW2506271393CJ





Report No.: WTF25F06145388A1C


Job No.: FSW2506271393CJ





Report No.: WTF25F06145388A1C


Job No.: FSW2506271393CJ





Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ





Report No.: WTF25F06145388A1C


Job No.: FSW2506271393CJ





Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ



WALTEK



Report No.: WTF25F06145388A1C

Job No.: FSW2506271393CJ

Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

WALTEK