

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 1 of 16

Applicant: Mid Ocean Brands B.V.

Address: Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Manufacturer: 117486

Address: N/A

The following sample(s) was /were submitted and identified on behalf of the clients as:

Sample Name: Fan

Sample Model: MO2779

Sample Received Date: Dec. 24, 2025 to Jan.07 , 2026

Testing Period: Dec. 24, 2025 to Jan.13 , 2026

Test Requested

As requested by the applicant, refer to attached page(s) for details.

Approved by:



Johnny Chen/Technical Manager



Scan to view
the original file

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China

Tel: +86-0769-22221088 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection.
This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 2 of 16

Summary of Test Results:

Test Standard	Conclusion
RoHS Directive 2011/65/EU and its subsequent amendments Directive (EU) 2015/863	
1 To determine Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls (PBBs) and Polybrominated DiphenylEthers (PBDEs)content by screening test and chemical test.	Pass
2 To determine Phthalates (DBP, BBP, DEHP, DIBP) content by chemical test.	Pass

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 3 of 16

Test Results:

(1) XRF Test Result:

No.	XRF Result(mg/kg)					Chemical Test (mg/kg)	Conclusion
	Pb	Cd	Hg	Cr	Br		
1	BL	BL	BL	BL	BL	--	Pass
2	BL	BL	BL	BL	BL	--	Pass
3	BL	BL	BL	BL	--	--	Pass
4	BL	BL	BL	BL	--	--	Pass
5	BL	BL	BL	BL	--	--	Pass
6	BL	BL	BL	BL	--	--	Pass
7	BL	BL	BL	BL	--	--	Pass
8	BL	BL	BL	BL	--	--	Pass
9	BL	BL	BL	BL	--	--	Pass
10	BL	BL	BL	BL	BL	--	Pass
11	BL	BL	BL	BL	--	--	Pass
12	BL	BL	BL	X	--	CrVI: Negative	Pass
13	BL	BL	BL	BL	BL	--	Pass
14	BL	BL	BL	BL	BL	--	Pass
15	BL	BL	BL	BL	BL	--	Pass
16	BL	BL	BL	BL	BL	--	Pass
17	BL	BL	BL	BL	X	PBBs/PBDEs:N.D.	Pass
18	BL	BL	BL	BL	BL	--	Pass
19	BL	BL	BL	BL	BL	--	Pass
20	BL	BL	BL	BL	--	--	Pass
21	BL	BL	BL	BL	--	--	Pass
22	BL	BL	BL	BL	BL	--	Pass
23	BL	BL	BL	BL	BL	--	Pass
24	BL	BL	BL	BL	BL	--	Pass
25	BL	BL	BL	BL	BL	--	Pass

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 4 of 16

No.	XRF Result(mg/kg)					Chemical Test (mg/kg)	Conclusion
	Pb	Cd	Hg	Cr	Br		
26	BL	BL	BL	BL	--	--	Pass
27	BL	BL	BL	BL	BL	--	Pass
28	BL	BL	BL	BL	--	--	Pass
29	BL	BL	BL	BL	BL	--	Pass
30	BL	BL	BL	BL	--	--	Pass
31	BL	BL	BL	BL	--	--	Pass
32	BL	BL	BL	BL	--	--	Pass
33	BL	BL	BL	BL	BL	--	Pass
34	BL	BL	BL	BL	BL	--	Pass
35	BL	BL	BL	BL	BL	--	Pass
36	BL	BL	BL	BL	--	--	Pass
37	BL	BL	BL	BL	--	--	Pass
38	BL	BL	BL	BL	--	--	Pass
39	BL	BL	BL	BL	BL	--	Pass
40	BL	BL	BL	BL	BL	--	Pass
41	BL	BL	BL	BL	BL	--	Pass
42	BL	BL	BL	BL	--	--	Pass
43	BL	BL	BL	BL	--	--	Pass

Remark:

1. It is the result on total Br while test item on restricted substances in PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
2. Screening test by XRF spectroscopy. XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1: 2013Annex A.

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 5 of 16

Element	Polymer Material	Metallic Material	Composite Material
Pb	BL \leq 700- 3σ \leq X $<$ 1300+ 3σ \leq OL	BL \leq 700- 3σ \leq X $<$ 1300+ 3σ \leq OL	BL \leq 500- 3σ \leq X $<$ 1500+ 3σ \leq OL
Cd	BL \leq 70- 3σ \leq X $<$ 130+ 3σ \leq OL	BL \leq 70- 3σ \leq X $<$ 130+ 3σ \leq OL	LOD $<$ X $<$ 150+ 3σ \leq OL
Hg	BL \leq 700- 3σ \leq X $<$ 1300+ 3σ \leq OL	BL \leq 700- 3σ \leq X $<$ 1300+ 3σ \leq OL	BL \leq 500- 3σ \leq X $<$ 1500+ 3σ \leq OL
Cr	BL \leq 700- 3σ $<$ X	BL \leq 700- 3σ $<$ X	BL \leq 500- 3σ $<$ X
Br	BL \leq 300- 3σ $<$ X	--	BL \leq 250- 3σ $<$ X

XRF Detection Limits in mg/kg for Regulated Elements in Various Material

Element	Polymer Material	Metallic Material	Composite Material
Pb	10	50	50
Cd	10	50	50
Hg	10	50	50
Cr	10	50	50
Br	10	50	50

- Note:**
- 1.BL = Under the XRF screening limit
 - 2.OL = Future chemical test will be conducted while result is above the screening limit
 - 3.X =The symbol “X”marks the region where further investigation in necessary
 4. 3σ =The reproducibility of analytical instruments
 - 5.LOD=Detection limit

(2)Wet Chemical Test

Test Item(s)	Test Method/ Test Equipment	Unit	Limit	MDL
Cadmium(Cd)	IEC 62321-5:2013, ICP-OES	mg/kg	100	2
Lead(Pb)	IEC 62321-5:2013, ICP-OES	mg/kg	1000	2
Mercury(Hg)	IEC 62321-4:2013+AMD1:2017, ICP-OES	mg/kg	1000	2
Hexavalent Chromium(CrVI) (Metal)	IEC 62321-7-1:2015, UV-Vis	μ g/cm ²	0.13	0.1
Hexavalent Chromium(CrVI) (Nonmetal)	IEC 62321-7-2:2017, UV-Vis	mg/kg	1000	8

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 6 of 16

PBBs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
PBDEs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
Dibutyl Phthalate(DBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Butyl benzyl phthalate (BBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Di-(2-ethylhexyl) Phthalate(DEHP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Diisobutyl phthalate (DIBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30

PBBs		PBDEs	
Monobromobiphenyl	Hexabromobiphenyl	Monobromodiphenyl ether	Hexabromodiphenyl ether
Dibromobiphenyl	Heptabromobiphenyl	Dibromodiphenyl ether	Heptabromodiphenyl ether
Tribromobiphenyl	Octabromobiphenyl	Tribromodiphenyl ether	Octabromodiphenyl ether
Tetrabromobiphenyl	Nonabromobiphenyl	Tetrabromodiphenyl ether	Nonabromodiphenyl ether
Pentabromobiphenyl	Decabromobiphenyl	Pentabromodiphenyl ether	Decabromodiphenyl ether

Note: 1. mg/kg= ppm=0.0001%

2. N.D.= Not Detected(<MDL)

3. MDL = Method Detection Limit

4. -- = No Testing

5. When Cr (VI) in a sample is detected below the 0.10 $\mu\text{g}/\text{cm}^2$ LOQ (limit of quantification), the sample is considered to be negative for Cr (VI). Since Cr (VI) may not be uniformly distributed in the coating even within the same sample batch, a "grey zone" between 0.10 $\mu\text{g}/\text{cm}^2$ and 0.13 $\mu\text{g}/\text{cm}^2$ has been established as "inconclusive" to reduce inconsistent results due to unavoidable coating variations. In this case, additional testing may be necessary to confirm the presence of Cr (VI). When Cr (VI) is detected above 0.13 $\mu\text{g}/\text{cm}^2$, the sample is considered to be positive for the presence of Cr (VI) in the coating layer. Unavoidable coating variations may influence the determination. Information on storage conditions and production date of the tested sample is unavailable and thus Cr (VI) results represent status of the sample at the time of testing.

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 7 of 16

(3) Phthalate Test Result:

Test No.	Test Item(s)				Conclusion
	Dibutyl Phthalate (DBP)	Butyl benzyl phthalate (BBP)	Di-(2-ethylhexyl) Phthalate (DEHP)	Diisobutyl phthalate (DIBP)	
1	N.D.	N.D.	N.D.	N.D.	Pass
2	N.D.	N.D.	N.D.	N.D.	Pass
10	N.D.	N.D.	N.D.	N.D.	Pass
13	N.D.	N.D.	N.D.	N.D.	Pass
14	N.D.	N.D.	N.D.	N.D.	Pass
15	N.D.	N.D.	N.D.	N.D.	Pass
16	N.D.	N.D.	N.D.	N.D.	Pass
17	N.D.	N.D.	N.D.	N.D.	Pass
18	N.D.	N.D.	N.D.	N.D.	Pass
19	N.D.	N.D.	N.D.	N.D.	Pass
22	N.D.	N.D.	N.D.	N.D.	Pass
23	N.D.	N.D.	N.D.	N.D.	Pass
24	N.D.	N.D.	N.D.	N.D.	Pass
25	N.D.	N.D.	N.D.	N.D.	Pass
27	N.D.	N.D.	N.D.	N.D.	Pass
29	N.D.	N.D.	N.D.	N.D.	Pass
33	N.D.	N.D.	N.D.	N.D.	Pass
34	N.D.	N.D.	N.D.	N.D.	Pass
35	N.D.	N.D.	N.D.	N.D.	Pass
39	N.D.	N.D.	N.D.	N.D.	Pass
40	N.D.	N.D.	N.D.	N.D.	Pass
41	N.D.	N.D.	N.D.	N.D.	Pass

Note: 1. mg/kg = ppm = 0.0001%

2. N.D. = Not Detected(<MDL)

Test Report


Report No.: RKEYS251224290

Date: Jan. 21, 2026


Page 8 of 16

Test Process:

1. Test for Cd/Pb Content



2. Test for Hg Content



Test Report


Report No.: RKEYS251224290

Date: Jan. 21, 2026


Page 9 of 16

3. Test for Chromium (VI) Content

Soluble polymers:



Insoluble/unknown polymers and electronics without Sb




Test Report

Report No.: RKEYS251224290


Date: Jan. 21, 2026

Page 10 of 16

Metal material



4. Test for DBP, BBP, DEHP, DIBP, PBB, PBDE Content



Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 11 of 16

Sample Description:

No.	Description
1	White plastic shell
2	White plastic fan blades
3	Silvery metal gasket
4	Silvery metal base
5	Copper-colored metal is fixed
6	Silvery metal contact piece
7	Silvery metal screw
8	Black metal magnet
9	Silvery metal casing
10	White plastic fixed
11	Copper-colored metal enameled wire
12	Silvery metal gasket
13	Black fluorescent green plastic battery cover
14	Black IC
15	Dark brown capacitor
16	Black plastic keys
17	Green PCB
18	Black resistor
19	White capacitor
20	Silvery metal casing
21	Silvery metal wire core
22	Black plastic wire skin
23	White plastic wire skin
24	Red plastic wire skin
25	Grey plastic wire skin
26	Silvery metal solder
27	White plastic casing

Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 12 of 16

No.	Description
28	Silvery metal connector
29	Gray plastic fixation
30	Silvery metal connector
31	Bronze metal contact pin
32	Bronze-colored metal core
33	Red plastic wire skin
34	White plastic wire skin
35	Black plastic wire skin
36	Silvery metal interface
37	Silvery metal spring
38	Silvery metal contact
39	White plastic fixation
40	Black resistor
41	Green PCB
42	Silvery metal solder
43	Silvery metal solder

Photograph(s) of Sample:



Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 13 of 16




Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 14 of 16




Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 15 of 16




Test Report

Report No.: RKEYS251224290

Date: Jan. 21, 2026

Page 16 of 16



*** End of Report ***