

Page 1 of 13

Report No.: LCSA111422205R

Verification Report

Applicant	:	Mid Ocean Brands B.V.
Address	:	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Report on the submitted samples said to be:

Sample Name(s) :	Key finder device in bamboo
Trade Mark :	N/A
Part No. :	MO6897
Sample Received Date :	November 15, 2022
Testing Period :	November 15, 2022 ~ November 21, 2022
Date of Report :	November 21, 2022
Testing Location :	901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Results :	Please refer to next page(s).

LCS Testing Lab

As specified by client, based on the performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	an lit
+ 田检测 list	+ iII the mile Lab

CS Testing Lab

Signed for and on behalf of LCS

CONCLUSION

Young/Laboratory Manager





Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives

Test method: With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample	Sample		Date of sample					
No.	Description	Cd	Pb	Hg	Cr▼		r▼	submission/ Resubmission
	-			0	CI	PBBs	PBDEs	
1	Black wooden box	BL	BL	BL	BL	BL	BL	2022-11-15
2	Black cord	BL	BL	BL	BL	BL	BL	2022-11-15
3	Silver metal buckle	BL	BL	BL	BL	/	- FRI	2022-11-15
4	Silver metal ring	BL	BL	BL	BL	/	ST/LCS	2022-11-15
5	Black wood with printing	BL	BL	BL	BL	BL	BL	2022-11-15
6	Black rubber button	BL	BL	BL	BL	BL	BL	2022-11-15
7	White double-sided adhesive tape	BL	BL	BL	BL	BL	BL	2022-11-15
8	Yellow tape	BL	BL	BL	BL	BL	BL	2022-11-15
9	Ferrous metal screw	OL	BL	BL	BL	/	/	2022-11-15
10	Silver metal crystal oscillator	OL	OL	BL	Х	/	/	2022-11-15
11	Black plastic chip	BL	BL	BL	BL	BL	BL	2022-11-15
12	Brown plastic chip capacitor	BL	BL	BL	BL	BL	BL	2022-11-15
13	Silver metal contact	BL	BL	BL	BL	/	/	2022-11-15
14	Black plastic chip resistor	BL	BL	BL	BL	BL	BL	2022-11-15
15	Silver metal solder	BL	OL	BL	BL	/	/	2022-11-15
16	Silver metal solder	BL	BL	BL	BL	/	/	2022-11-15
17	Black plastic diode	BL	BL	BL	BL	BL	BL	2022-11-15
18	White plastic chip LED lamp	BL	BL	BL	BL	BL	BL	2022-11-15
19	Black plastic triode	BL	BL	BL	BL	BL	BL	2022-11-15
20	Green plastic PCB board	BL	BL	BL	BL	Х	X	2022-11-15
21	Silver metal shell	BL	BL	BL	Х	/	1	2022-11-15
22	Gold metal button	OL	OL	BL	BL	/	/	2022-11-15
23	Silver metal shrapnel	BL	BL	BL	Х	/	/	2022-11-15
24	Yellow tape	BL	BL	BL	BL	BL	BL	2022-11-15
25	Black plastic base	BL	BL	BL	BL	BL	BL	2022-11-15
26	Copper metal contact	BL	BL	BL	BL	/	/	2022-11-15
27	Black plastic shell	BL	BL	BL	BL	BL	BL	2022-11-15
28	Silver metal sheet	BL	BL	BL	BL		/	2022-11-15



Shenzhen LCS Compliance Testing Laboratory Ltd. Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Page 3 of 13 Report No.: LCSA111422205R Results Date of sample Sample Sample Br▼ submission/ No. Description Pb Cr▼ Cd Hg Resubmission **PBBs PBDEs** 29 BL 2022-11-15 Silver metal sheet BL BL BL / / 30 BL BL BL Silver metal block BL 2022-11-15 / / 31 BL OL BL Х / Ferrous magnet / 2022-11-15 32 OL OL BL / / Copper metal coil BL 2022-11-15 33 OL BL BL BL / / Silver metal pin 2022-11-15

Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material	
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+30)≤ol< td=""></x<(150+30)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+30)≤ol< td=""></x<(150+30)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+30)≤ol< td=""></x<(150+30)≤ol<>	
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>	
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>	
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>	
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>	

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.





R

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.





B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES) or Atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Lead(Pb) & Cadmium(Cd)

Tested Items	MDL	(115/15)						
	(mg/kg)	(10)	(15)	(22)	(31)	(32)	(mg/kg)	
Lead(Pb) Content	5	N.D.	N.D.	N.D.	N.D.	N.D.	1000	

Tested Items	MDL	(IIIg/Kg)						
	(mg/kg)	(9)	(10)	(22)	(32)	(33)	(mg/kg)	
Cadmium(Cd) Content	5	N.D.	N.D.	N.D.	N.D.	N.D.	100	

2) The test results of Hexavalent Chromium(Cr(VI)(for coating on metal)

2) The test results of Hexavalent Chromium(Cr(VI)(for coating on metal)							
Tested Items	MDL	۹ ^{۲۵۷} Res (µg/	Limit				
	(µg/cm ²)	(10)	(21)	(µg/cm ²)			
Hexavalent Chromium(Cr(VI)) Content ★	0.10 (LOQ)	N.D.	N.D.	1000			

Tested Items	MDL	Res (µg/	Limit		
	(µg/cm ²)	(23)	(31)	(µg/cm ²)	
Hexavalent Chromium(Cr(VI)) Content★	0.10 (LOQ)	N.D.	N.D.	1000	





3) The test results of Phthalates(DBP, BBP, DEHP & DIBP)

Tested Items	MDL (mg/kg)	Results (mg/kg) 6	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	100	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	100	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	100	N.D.	1000
Diisobutyl phthalate(DIBP) Content	100	N.D.	1000

Tested Items	MDL	Results (mg/kg)	Limit
	(mg/kg)	1+2+5+7+8+11	(mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000
m the man have been and the man have been an	h	m the JII BOTH	四城那

Tested Items	MDL (mg/kg)	Results (mg/kg) 12+14+17+18+19+20	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg) 24+25+27	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000





STING

4) The test results of PBBs & PBDEs

Tested Items	MDL (mg/kg)	Results (mg/kg) (20)			Limit (mg/kg)
Polybrominated Biphenyls(PBBs) Conte	nt		. ,		
Monobromobiphenyl	5		N.D.		/
Dibromobiphenyl	5		N.D.		/
Tribromobiphenyl	5	-24	N.D.		1
Tetrabromobiphenyl	5	A 检测 B2 Lab	N.D.	立 讯检	ting Lay
Pentabromobiphenyl	5 10	5 100	N.D.	LCS TO	/
Hexabromobiphenyl	5		N.D.		/
Heptabromobiphenyl	5		N.D.		/
Octabromobiphenyl	5		N.D.		/
Nonabromodiphenyl	5		N.D.		/
Decabromodiphenyl	5		N.D.		/
Total content	/		N.D.		1000
Polybrominated Diphenylethers(PBDEs)	Content	1	城测股份		
Monobromodiphenyl ether	5	IST LC	N.D.	N	
Dibromodiphenyl ether	5		N.D.		1
Tribromodiphenyl ether	5		N.D.		/
Tetrabromodiphenyl ether	5		N.D.		/
Pentabromodiphenyl ether	5		N.D.		/
Hexabromodiphenyl ether	5		N.D.		/
Heptabromodiphenyl ether	5		N.D.		/
Octabromodiphenyl ether	5		N.D.		- RE (B) /
Nonabromodiphenyl ether	5	Nter Tuging Lab	N.D.	1111位	ting Laby
Decabromodiphenyl ether	5	5 * *	N.D.	LCS 10	/
Total content	/		N.D.		1000





Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL or LOQ)
- mg/kg = milligrams per kilogram
- LOQ = Limit Of Quantification, The LOQ of Hexavalent chromium is $0.10 \ \mu g/cm^2$
 - ★ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13\mu g/cm^2$. The sample coating is considered to contain Cr(VI).

b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than $0.10\mu g/cm^2$). The sample coating is considered a non- Cr(VI) based coating.


- c. The result between $0.10\mu g/cm^2$ and $0.13\mu g/cm^2$ is considered to be inconclusive, unavoidable coating variations may influence the determination.
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.
- According to customer's requirement, only the appointed materials have been tested.






Test Process


1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013







4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs) : IEC 62321-6:2015



R






Page 11 of 13


Report No.: LCSA111422205R

立讯检测股

The photo(s) of the sample











Page 13 of 13

Report No.: LCSA111422205R

Statement:

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***















