



Verification Report

Applicant : Mid Ocean Brands B.V.

Address 7/F., Kings Tower,111 King Lam Street, Cheung Sha Wan, Kowloon, Hong

Kong

Report on the submitted samples said to be:

Sample Name(s) : Calculator

Trade Mark : N/A

Part No. : MO8192

Sample Received Date : March 02, 2023

Testing Period : March 02, 2023 ~ March 08, 2023

Date of Report : March 08, 2023

Testing Location : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community,

Matian Street, Guangming District, Shenzhen, Guangdong, China

Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	上讯检测股份 1.30

Signed for and on behalf of LCS

Report No.: LCSA030223066R









Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives

<u>Test method:</u> With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

C 1	6 1	Results						Date of sample
Sample No.	Sample Description	Cd	DI		Cr♥	Br▼		submission/
	Description	Ca	Pb	Hg		PBBs	PBDEs	Resubmission
1	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2023-03-02
2	White plastic sheet	BL	BL	BL	BL	BL	BL	2023-03-02
3	White label	BL	BL	BL	BL	BL	BL	2023-03-02
4/5	White plastic button	BL	BL	BL	BL	BL	BL cs	2023-03-02
5	Yellow tape	BL	BL	BL	BL	BL	BL	2023-03-02
6	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2023-03-02
7	Transparent soft plastic	BL	BL	BL	BL	BL	BL	2023-03-02
8	White plastic sheet	BL	BL	BL	BL	BL	BL	2023-03-02
9	Grey line	BL	BL	BL	BL	BL	BL	2023-03-02
10	Brown capacitor	BL	BL	BL	BL	BL	BL	2023-03-02
11	Tin solder	BL	₩ BL	BL	BL	加股份	/	2023-03-02
12	Tin solder	BL	BL	BL	BL	sting Vab	/	2023-03-02
13	Black IC	BL	BL	BL	BL	BL	BL	2023-03-02
14	Grey glass	BL	BL	BL	BL	BL	BL	2023-03-02
15	PCB board	BL	BL	BL	BL	BL	BL	2023-03-02
16	Silver sheet metal	BL	BL	BL	BL	/	/	2023-03-02
17	Silver metal screw	BL	BL	BL	BL	/	/	2023-03-02
18	Silver metal screw	BL	BL	BL	BL	/	/	2023-03-02
19	Silver sheet metal	BL	BL	BL	BL	/	/	2023-03-02
20	Green apron	BL	BL	BL	BL	BL	BL	2023-03-02
21	White plastic sheet	BL	BL	BL	BL	BL	BL	2023-03-02
22	Black toner	BL	BL	BL	BL	BL	BL cs	2023-03-02
23	Silver metal mesh	BL	BL	BL	BL	/	/	2023-03-02



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.







Report No.: LCSA030223066R



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



Page 4 of 11 Report No.: LCSA030223066R

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)		
Cadmium(Cd)	100		
Lead(Pb)	1000		
Mercury(Hg)	1000		
Hexavalent Chromium(Cr(VI))	1000		
Polybrominated biphenyls(PBBs)	1000		
Polybrominated diphenylethers(PBDEs)	1000		
Dibutyl Phthalate(DBP)	1000		
Butylbenzyl Phthalate(BBP)	1000 1000		
Di-(2-ethylhexyl) Phthalate(DEHP)	1000		
Diisobutyl phthalate(DIBP)	1000		

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



(4) 测股份



B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP &DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Phthalates(DBP, BBP, DEHP &DIBP)

Tested Items	MDL (mg/kg)	Res (mg	Limit	
		(4)	(7)	(mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	632	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg) (1+2+3+5+6+8)	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000



立讯检测股份 Testing Lab

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China





Tested Items	MDL (mg/kg)	Results (mg/kg) (9+10+13+14+15+20)	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg) (21+22)	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = milligrams per kilogram
- According to customer's requirement, only the appointed materials have been tested.







Report No.: LCSA030223066R



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China






Test Process

1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV



3. Hexavalent Chromium(Cr(VI))

1) IEC 62321-7-2:2017







Shenzhen LCS Compliance Testing Laboratory Ltd.




2) IEC 62321-7-1:2015



4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs): IEC 62321-6:2015



5. Phthalates(DBP, BBP, DEHP & DIBP): IEC 62321-8:2017









Report No.: LCSA030223066R



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



The photo(s) of the sample







Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

























Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China





Statement:

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- 2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***



ARV