

Page 1 of 15

Report No.: LCSA083022009R

Verification Report

Applicant	:	Mid Ocean Brands B.V.
Address	:	7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Report on the submitted samples said to be:

Sample Name(s) :	Weather station
Trade Mark :	N/A
Part No. :	IT3575, MO9959
Sample Received Date : Testing Period :	September 16, 2022 September 23, 2022 September 16, 2022 ~ September 23, 2022
Date of Report :	September 23, 2022 ~ September 26, 2022 September 26, 2022
Testing Location :	901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Results :	Please refer to next page(s).

TEST REQUEST		CONCLUSION
As specified by client, based on th	e performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury	(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylber	zyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl	ohthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with	amendment (EU) 2015/863.	士讯检测股份
LCS Testing	LCS Testinu	LCSTesting

Signed for and on behalf of LCS

Young/Laboratory Manager





Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives

<u>Test method:</u> With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sampla	Samula		Date of sample					
Sample No.	Sample Description	Cd	Pb	Hg	Cr▼	Br ^v		submission/ Resubmission
1		01	01		V	PBBs	PBDEs	
1	Silver metal sheet	OL	OL	BL	X	/		2022-09-16
2	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
3	White label	BL	BL	BL	BL	BL	BL	2022-09-16
4 9	Silver metal sheet	BL	BL	BL	BL	/	Sol Les	2022-09-16
5	Silver metal spring	BL	BL	BL	BL	/	/	2022-09-16
6	Black plastic sheet	BL	BL	BL	BL	Х	X	2022-09-16
7	Tin solder	BL	BL	BL	BL	/	/	2022-09-16
8	Tin solder	BL	BL	BL	BL	/	/	2022-09-16
9	Silver colored metal screw	OL	X	BL	BL	/	/	2022-09-16
10	Grey plastic button	BL	BL	BL	BL	BL	BL	2022-09-16
11	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
12	Pink plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
13	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
14	Transparent glass sheet	BL	BL	BL	BL	BL	BL	2022-09-16
15	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
16	Black foam	BL	BL	BL	BL	BL	BL	2022-09-16
17	Black glass sheet	BL	BL	BL	BL	BL	BL	2022-09-16
18	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
19	White plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
20	Black viscose	BL	BL	BL	BL	BL	BL	2022-09-16
21	Red plastic thread cover	BL	BL	BL	BL	BL	BL	2022-09-16
22	White plastic wire cover	BL	BL	BL	BL	BL	BL	2022-09-16
23	Red wire	OL	OL	BL	BL	/	/	2022-09-16
24	Silver crystal oscillator	X	BL	BL	BL	/	/	2022-09-16
25	Silver metal pin	OL	Х	BL	Х	/	/	2022-09-16
26	Black diode	BL	BL	BL	BL	BL	BL	2022-09-16
27	Silver metal pin	BL	BL	BL	BL	/	/	2022-09-16
28	Blue plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
29	White plastic plate	BL	BL	BL	BL	BL	BL	2022-09-16



	-	
--	---	--

		HURE	Page 3	of 15		Repo	ort No.: LCS	SA083022009R
Sample	Sample 15	CS Testin	Res Res			stingLan	Date of sample	
	Description	Cd	Pb	Hg	Cr▼		Br▼	submission/
	•	Cu	10	**5	- Ci	PBBs	PBDEs	Resubmission
30	Silver metal pin	BL	BL	BL	BL	/	/	2022-09-16
31	Tin solder	BL	OL	BL	BL	/	/	2022-09-16
32	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16
33	Silver metal sheet	BL	BL	BL	BL	/	/	2022-09-16
34	Silver metal sheet	BL	BL	BL	BL	/	/	2022-09-16
35	Black magnet	BL	BL	BL	Х	/	/	2022-09-16
36	Red wire	BL	OL	BL	Х	/	1	2022-09-16
37	Silver metal sheet	OL	BL	BL	BL	/	S Pics	2022-09-16
38	Tin solder	BL	BL	BL	BL	/		2022-09-23
39	PCB board	BL	BL	BL	BL	X	X	2022-09-16
40	Black IC	BL	BL	BL	BL	BL	BL	2022-09-16
41	Brown capacitor	BL	BL	BL	BL	BL	BL	2022-09-16
42	Black triode	BL	BL	BL	BL	BL	BL	2022-09-16
43	Tin solder	BL	BL	BL	BL	/	/	2022-09-16
44	Chip resistor	BL	BL	BL	BL	BL	BL	2022-09-16
45	PCB board	BL	BL	BL	BL	X	X	2022-09-16
46	Yellow chip	BL	La BL	BL	BL	BL	BL	2022-09-16
47	White plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-16

立讯检测股





Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Polymers Metals		
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>	
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>	
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>	
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>	
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<Χ</td></x<>	N/A	BL≤(250-3σ)<Χ	

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A = Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.

3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.

4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.







RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



101 *





B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES) or Atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Lead(Pb) & Cadmium(Cd)

Tested Items	MDL	1 Fap	Results (mg/kg)				
	(mg/kg)	(1)	(9)	(23)	(25)	(mg/kg)	
Lead(Pb) Content	5	55	68	93	200	1000	

Tested Items	MDL		Results (mg/kg)		
	(mg/kg)	(31)	(36)	(mg/kg)	
Lead(Pb) Content	5	260	17	1000	

Tested Items	MDL (mg/kg)					Limit	
LCS Y	(mg/kg)	(1)	(9)	(23)	(24)	(mg/kg)	
Cadmium(Cd) Content	5	N.D.	N.D.	N.D.	N.D.	100	

Tested Items	MDL	Res (mg	Limit	
	(mg/kg)	(25)	(37)	(mg/kg)
Cadmium(Cd) Content	5	N.D.	N.D.	100





2) The test results of Hexavalent Chromium(Cr(VI)(for coating on metal)

Tested Items	MDL		ults cm²)	Limit
	(µg/cm ²)	(1)	(25)	(µg/cm ²)
Hexavalent Chromium(Cr(VI)) Content★	0.10 (LOQ)	N.D.	N.D.	1000

Tested Items	MDL	Results (μg/cm ²)		Limit
	(µg/cm ²)	(35)	(36)	$(\mu g/cm^2)$
Hexavalent Chromium(Cr(VI)) Content ★	0.10 (LOQ)	g ^{Lab} N.D.	N.D.	1000

3) The test results of Phthalates(DBP, BBP, DEHP & DIBP)

Tested Items	MDL (mg/kg)	Results (mg/kg)	Limit (mg/kg)
	(ing/kg)	2+3+6+10+11+12	(ing/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000
A CS TE NSA CS TE		50,05,05	Mag ics il.

A LOSTER	[SO LOS Test	The root of
Tested Items	MDL	Results (mg/kg)	Limit
	(mg/kg)	13+14+15+16+17+18	(mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

	il Min ain		<u>n9</u> -	
Tested Items	MDL	Results (mg/kg)	Limit (mg/kg)	
	(mg/kg)	19+20+21+22+26+28		
Dibutyl Phthalate(DBP) Content	600	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000	







Page 8 of 15

Report No.: LCSA083022009R

Tested Items	MDL	Results (mg/kg)	Limit
	(mg/kg)	29+32+39+40+41+42	(mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000
一一股份	-mil B	2份	股份
Tested Items	MDL	Results (mg/kg)	1000 Limit (mg/kg)
	(mg/kg)	44+45+46+47	(mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000





立讯检测股





4) The test results of PBBs & PBDEs

Tested Items	MDL	Results (mg/kg)			Limit
	(mg/kg)	(6)	(39)	(45)	(mg/kg)
Polybrominated Biphenyls(PBBs) Conter	nt		1		
Monobromobiphenyl	5	N.D.	N.D.	N.D.	/
Dibromobiphenyl	5	N.D.	N.D.	N.D.	/
Tribromobiphenyl	5	N.D.	N.D.	N.D.	1
Tetrabromobiphenyl	5	N.D.	N.D.	N.D.	MBX Lay
Pentabromobiphenyl	5 10	N.D.	N.D.	N.D.	/
Hexabromobiphenyl	5	N.D.	N.D.	N.D.	/
Heptabromobiphenyl	5	N.D.	N.D.	N.D.	/
Octabromobiphenyl	5	N.D.	N.D.	N.D.	/
Nonabromodiphenyl	5	N.D.	N.D.	N.D.	/
Decabromodiphenyl	5	N.D.	N.D.	N.D.	/
Total content	/	N.D.	N.D.	N.D.	1000
Polybrominated Diphenylethers(PBDEs)	Content		而检测股份		-n the
Monobromodiphenyl ether	5	N.D.	N.D.	N.D.	SA LCGTES
Dibromodiphenyl ether	5	N.D.	N.D.	N.D.	1
Tribromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Tetrabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Pentabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Hexabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Heptabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Octabromodiphenyl ether	5	N.D.	N.D.	N.D.	163-63
Nonabromodiphenyl ether	5 11	N.D.	N.D.	N.D.	ting Laby
Decabromodiphenyl ether	5	N.D.	N.D.	N.D.	/
Total content	/	N.D.	N.D.	N.D.	1000





R

Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL or LOQ)
- mg/kg = milligrams per kilogram
- LOQ = Limit Of Quantification, The LOQ of Hexavalent chromium is $0.10 \ \mu g/cm^2$
 - \star = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13µg/cm². The sample coating is considered to contain Cr(VI).

b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than $0.10\mu g/cm^2$). The sample coating is considered a non- Cr(VI) based coating.


- c. The result between $0.10\mu g/cm^2$ and $0.13\mu g/cm^2$ is considered to be inconclusive, unavoidable coating variations may influence the determination.
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.
- According to customer's requirement, only the appointed materials have been tested.

Test Process

1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013











Page 12 of 15

Report No.: LCSA083022009R

立讯检测股


The photo(s) of the sample
















Statement:

- The test report is invalid without the signature of the approver and the special seal for the company's report; 1.
- The company name, address and sample information shown on the report were provided by the applicant 2. who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- Without written approval of LCS, this report can't be reproduced except in full; 4.
- In case of any discrepancy between the corresponding Chinese and English contents in the test report, the 5. English version shall prevail.

*** End of Report ***







